

OTHER MESONS

Z_c(3900)

$$I^G(J^{PC}) = 1^+(1^{+-})$$

was X(3900)

Mass $m = 3887.1 \pm 2.6$ MeV (S = 1.7)

Full width $\Gamma = 28.4 \pm 2.6$ MeV

| Z_c(3900) DECAY MODES | Fraction (Γ_i/Γ) | p (MeV/c) |
|--|--------------------------------|-------------|
| $J/\psi\pi$ | seen | 699 |
| $h_c\pi^\pm$ | not seen | 318 |
| $\eta_c\pi^+\pi^-$ | not seen | 759 |
| $(D\bar{D}^*)^\pm$ | seen | — |
| $D^0 D^{*-} + \text{c.c.}$ | seen | 152 |
| $D^- D^{*0} + \text{c.c.}$ | seen | 143 |
| $\omega\pi^\pm$ | not seen | 1862 |
| $J/\psi\eta$ | not seen | 510 |
| $D^+ D^{*-} + \text{c.c.}$ | seen | — |
| $D^0 \bar{D}^{*0} + \text{c.c.}$ | seen | — |

X(4020)[±]

$$I^G(J^{PC}) = 1^+(?^{?}-)$$

Mass $m = 4024.1 \pm 1.9$ MeV

Full width $\Gamma = 13 \pm 5$ MeV (S = 1.7)

| X(4020)[±] DECAY MODES | Fraction (Γ_i/Γ) | p (MeV/c) |
|--|--------------------------------|-------------|
| $h_c(1P)\pi$ | seen | 450 |
| $D^*\bar{D}^*$ | seen | 85 |
| $D\bar{D}^* + \text{c.c.}$ | not seen | 542 |
| $\eta_c\pi^+\pi^-$ | not seen | 872 |
| $J/\psi(1S)\pi^\pm$ | not seen | 811 |

Z_c(4430)

$$I^G(J^{PC}) = 1^+(1^{+-})$$

G, C need confirmation.

was X(4430)[±]

Quantum numbers not established.

Mass $m = 4478^{+15}_{-18}$ MeV

Full width $\Gamma = 181 \pm 31$ MeV

| Z_c(4430) DECAY MODES | Fraction (Γ_i/Γ) | <i>p</i> (MeV/c) |
|--|--------------------------------|------------------|
| $\pi^+ \psi(2S)$ | seen | 711 |
| $\pi^+ J/\psi$ | seen | 1162 |

Z_b(10610)

$$I^G(J^{PC}) = 1^+(1^{+-})$$

was $X(10610)$

Mass $m = 10607.2 \pm 2.0$ MeV

Full width $\Gamma = 18.4 \pm 2.4$ MeV

| Z_b(10610) DECAY MODES | Fraction (Γ_i/Γ) | <i>p</i> (MeV/c) |
|---|--------------------------------------|------------------|
| $\gamma(1S)\pi^+$ | $(5.4^{+1.9}_{-1.5}) \times 10^{-3}$ | 1077 |
| $\gamma(1S)\pi^0$ | not seen | 1077 |
| $\gamma(2S)\pi^+$ | $(3.6^{+1.1}_{-0.8}) \%$ | 551 |
| $\gamma(2S)\pi^0$ | seen | 552 |
| $\gamma(3S)\pi^+$ | $(2.1^{+0.8}_{-0.6}) \%$ | 207 |
| $\gamma(3S)\pi^0$ | seen | 210 |
| $h_b(1P)\pi^+$ | $(3.5^{+1.2}_{-0.9}) \%$ | 671 |
| $h_b(2P)\pi^+$ | $(4.7^{+1.7}_{-1.3}) \%$ | 313 |
| $B^+\overline{B}^0$ | not seen | 505 |
| $B^+\overline{B}^{*0} + B^{*+}\overline{B}^0$ | $(85.6^{+2.1}_{-2.9}) \%$ | — |

Z_b(10650)

$$I^G(J^{PC}) = 1^+(1^{+-})$$

I, G, C need confirmation.

was $X(10650)^{\pm}$

Mass $m = 10652.2 \pm 1.5$ MeV

Full width $\Gamma = 11.5 \pm 2.2$ MeV

$Z_b(10650)^-$ decay modes are charge conjugates of the modes below.

| Z_b(10650)⁺ DECAY MODES | Fraction (Γ_i/Γ) | <i>p</i> (MeV/c) |
|---|--------------------------------------|------------------|
| $\gamma(1S)\pi^+$ | $(1.7^{+0.8}_{-0.6}) \times 10^{-3}$ | 1117 |
| $\gamma(2S)\pi^+$ | $(1.4^{+0.6}_{-0.4}) \%$ | 595 |
| $\gamma(3S)\pi^+$ | $(1.6^{+0.7}_{-0.5}) \%$ | 259 |

| | | |
|---|----------------------------|-----|
| $h_b(1P)\pi^+$ | (8.4 $^{+2.9}_{-2.4}$) % | 714 |
| $h_b(2P)\pi^+$ | (15 ± 4) % | 360 |
| $B^+\overline{B}^0$ | not seen | 703 |
| $B^+\overline{B}^{*0} + B^{*+}\overline{B}^0$ | not seen | — |
| $B^{*+}\overline{B}^{*0}$ | (74 $^{+4}_{-6}$) % | 122 |
