

$K_1(1400)$ $I(J^P) = \frac{1}{2}(1^+)$ **$K_1(1400)$ MASS**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
1403 ± 7 OUR AVERAGE					
1463 \pm 64 \pm 68	7k	ASNER	00B	CLEO	\pm $\tau^- \rightarrow K^- \pi^+ \pi^- \nu_\tau$
1373 \pm 14 \pm 18		¹ ASTON	87	LASS	0 $11 K^- p \rightarrow \bar{K}^0 \pi^+ \pi^- n$
1392 \pm 18		BAUBILLIER	82B	HBC	0 $8.25 K^- p \rightarrow K_S^0 \pi^+ \pi^- n$
1410 \pm 25		DAUM	81C	CNTR	- $63 K^- p \rightarrow K^- 2\pi p$
1415 \pm 15		ETKIN	80	MPS	0 $6 K^- p \rightarrow \bar{K}^0 \pi^+ \pi^- n$
1404 \pm 10		² CARNEGIE	77	ASPK	\pm $13 K^\pm p \rightarrow (K\pi\pi)^\pm p$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$					
1418 \pm 8	25k	³ ABLIKIM	06C	BES2	$J/\psi \rightarrow \bar{K}^*(892)^0 K^+ \pi^-$
\sim 1350		⁴ TORNQVIST	82B	RVUE	
\sim 1400		VERGEEST	79	HBC	- $4.2 K^- p \rightarrow (\bar{K}\pi\pi)^- p$
\sim 1400		BRANDENB...	76	ASPK	\pm $13 K^\pm p \rightarrow (K\pi\pi)^\pm p$
1420		DAVIS	72	HBC	+ $12 K^+ p$
1368 \pm 18		FIRESTONE	72B	DBC	+ $12 K^+ d$


¹ From partial-wave analysis of $K^0 \pi^+ \pi^-$ system.² From a model-dependent fit with Gaussian background to BRANDENBURG 76 data.³ Systematic errors not estimated.⁴ From a unitarized quark-model calculation. **$K_1(1400)$ WIDTH**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
174 ± 13 OUR AVERAGE Error includes scale factor of 1.6. See the ideogram below.					
$300^{+370}_{-110} \pm 140$	7k	ASNER	00B	CLEO	\pm $\tau^- \rightarrow K^- \pi^+ \pi^- \nu_\tau$
188 \pm 54 \pm 60		¹ ASTON	87	LASS	0 $11 K^- p \rightarrow \bar{K}^0 \pi^+ \pi^- n$
276 \pm 65		BAUBILLIER	82B	HBC	0 $8.25 K^- p \rightarrow K_S^0 \pi^+ \pi^- n$
195 \pm 25		DAUM	81C	CNTR	- $63 K^- p \rightarrow K^- 2\pi p$
180 \pm 10		ETKIN	80	MPS	0 $6 K^- p \rightarrow \bar{K}^0 \pi^+ \pi^- n$
142 \pm 16		² CARNEGIE	77	ASPK	\pm $13 K^\pm p \rightarrow (K\pi\pi)^\pm p$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$					
152 \pm 16	25k	³ ABLIKIM	06C	BES2	$J/\psi \rightarrow \bar{K}^*(892)^0 K^+ \pi^-$
\sim 200		VERGEEST	79	HBC	- $4.2 K^- p \rightarrow (\bar{K}\pi\pi)^- p$
\sim 160		BRANDENB...	76	ASPK	\pm $13 K^\pm p \rightarrow (K\pi\pi)^\pm p$
80		DAVIS	72	HBC	+ $12 K^+ p$
241 \pm 30		FIRESTONE	72B	DBC	+ $12 K^+ d$

¹ From partial-wave analysis of $K^0 \pi^+ \pi^-$ system.

² From a model-dependent fit with Gaussian background to BRANDENBURG 76 data.

³ Systematic errors not estimated.



K₁(1400) DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 K^*(892)\pi$	(94 ± 6) %
$\Gamma_2 K\rho$	(3.0 ± 3.0) %
$\Gamma_3 Kf_0(1370)$	(2.0 ± 2.0) %
$\Gamma_4 K\omega$	(1.0 ± 1.0) %
$\Gamma_5 K_0^*(1430)\pi$	not seen
$\Gamma_6 \gamma K^0$	seen
$\Gamma_7 K\phi$	seen

K₁(1400) PARTIAL WIDTHS

$\Gamma(K^*(892)\pi)$

VALUE (MeV)	DOCUMENT ID	TECN	CHG	COMMENT	Γ_1
117±10	CARNEGIE	77	ASPK	± 13 $K^\pm p \rightarrow (K\pi\pi)^\pm p$	

$\Gamma(K\rho)$

VALUE (MeV)	DOCUMENT ID	TECN	CHG	COMMENT	Γ_2
2±1	CARNEGIE	77	ASPK	± 13 $K^\pm p \rightarrow (K\pi\pi)^\pm p$	

$\Gamma(K\omega)$					Γ_4
VALUE (MeV)	DOCUMENT ID	TECN	CHG	COMMENT	
23±12	CARNEGIE	77	ASPK	±	$13 K^\pm p \rightarrow (K\pi\pi)^\pm p$

$\Gamma(\gamma K^0)$					Γ_6
VALUE (keV)	DOCUMENT ID	TECN	COMMENT		
280.8±23.2±40.4	ALAVI-HARATI02B	KTEV	$K + A \rightarrow K^* + A$		

$K_1(1400)$ BRANCHING RATIOS

$\Gamma(K^*(892)\pi)/\Gamma_{\text{total}}$					Γ_1/Γ
VALUE	DOCUMENT ID	TECN	COMMENT		
0.94±0.06	¹ DAUM	81c	CNTR	$63 K^- p \rightarrow K^- 2\pi p$	

¹ Average from low and high t data.

$\Gamma(K\rho)/\Gamma_{\text{total}}$					Γ_2/Γ
VALUE	DOCUMENT ID	TECN	COMMENT		
0.03±0.03	¹ DAUM	81c	CNTR	$63 K^- p \rightarrow K^- 2\pi p$	

¹ Average from low and high t data.

$\Gamma(Kf_0(1370))/\Gamma_{\text{total}}$					Γ_3/Γ
VALUE	DOCUMENT ID	TECN	COMMENT		
0.02±0.02	¹ DAUM	81c	CNTR	$63 K^- p \rightarrow K^- 2\pi p$	

¹ Average from low and high t data.

$\Gamma(K\omega)/\Gamma_{\text{total}}$					Γ_4/Γ
VALUE	DOCUMENT ID	TECN	COMMENT		
0.01±0.01	¹ DAUM	81c	CNTR	$63 K^- p \rightarrow K^- 2\pi p$	

¹ Average from low and high t data.

$\Gamma(K\phi)/\Gamma_{\text{total}}$					Γ_7/Γ
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT	
seen	24k	¹ AAIJ	21E	LHCb	$B^+ \rightarrow J/\psi\phi K^+$

¹ From an amplitude analysis of the decay $B^+ \rightarrow J/\psi\phi K^+$ with a significance of 9.2 σ .

$\Gamma(K_0^*(1430)\pi)/\Gamma_{\text{total}}$					Γ_5/Γ
VALUE	DOCUMENT ID	TECN	COMMENT		
not seen	¹ DAUM	81c	CNTR	$63 K^- p \rightarrow K^- 2\pi p$	

¹ Average from low and high t data.

D-wave/S-wave RATIO FOR $K_1(1400) \rightarrow K^*(892)\pi$					
VALUE	DOCUMENT ID	TECN	COMMENT		
0.04±0.01	¹ DAUM	81c	CNTR	$63 K^- p \rightarrow K^- 2\pi p$	

¹ Average from low and high t data.

***K₁(1400)* REFERENCES**

AAIJ	21E	PRL 127 082001	R. Aaij <i>et al.</i>	(LHCb Collab.)
ABLIKIM	06C	PL B633 681	M. Ablikim <i>et al.</i>	(BES Collab.)
ALAVI-HARATI	02B	PRL 89 072001	A. Alavi-Harati <i>et al.</i>	(FNAL KTeV Collab.)
ASNER	00B	PR D62 072006	D.M. Asner <i>et al.</i>	(CLEO Collab.)
ASTON	87	NP B292 693	D. Aston <i>et al.</i>	(SLAC, NAGO, CINC, INUS)
BAUBILLIER	82B	NP B202 21	M. Baubillier <i>et al.</i>	(BIRM, CERN, GLAS+)
TORNQVIST	82B	NP B203 268	N.A. Tornqvist	(HELS)
DAUM	81C	NP B187 1	C. Daum <i>et al.</i>	(AMST, CERN, CRAC, MPIM+)
ETKIN	80	PR D22 42	A. Etkin <i>et al.</i>	(BNL, CUNY) JP
VERGEEST	79	NP B158 265	J.S.M. Vergeest <i>et al.</i>	(NIJM, AMST, CERN+)
CARNEGIE	77	NP B127 509	R.K. Carnegie <i>et al.</i>	(SLAC)
BRANDENB...	76	PRL 36 703	G.W. Brandenburg <i>et al.</i>	(SLAC) JP
DAVIS	72	PR D5 2688	P.J. Davis <i>et al.</i>	(LBL)
FIRESTONE	72B	PR D5 505	A. Firestone <i>et al.</i>	(LBL)