

**$\Delta(1700)$   $3/2^-$**  $I(J^P) = \frac{3}{2}(\frac{3}{2}^-)$  Status: \*\*\*

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

 **$\Delta(1700)$  POLE POSITION****REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>1640 to 1690 (<math>\approx 1665</math>) OUR ESTIMATE</b>			
1637 $\pm$ 32	ROENCHEN 22	DPWA	Multichannel
1685 $\pm$ 10	SOKHOYAN 15A	DPWA	Multichannel
1643 $\pm$ 6 $\pm$ 3	<sup>1</sup> SVARC 14	L+P	$\pi N \rightarrow \pi N$
1675 $\pm$ 25	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1693	HUNT 19	DPWA	Multichannel
1677	ROENCHEN 15A	DPWA	Multichannel
1685 $\pm$ 10	GUTZ 14	DPWA	Multichannel
1680 $\pm$ 10	ANISOVICH 12A	DPWA	Multichannel
1632	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
1726	VRANA 00	DPWA	Multichannel
1651	HOEHLER 93	SPED	$\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

**-2xIMAGINARY PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>200 to 300 (<math>\approx 250</math>) OUR ESTIMATE</b>			
295 $\pm$ 29	ROENCHEN 22	DPWA	Multichannel
300 $\pm$ 15	SOKHOYAN 15A	DPWA	Multichannel
217 $\pm$ 10 $\pm$ 8	<sup>1</sup> SVARC 14	L+P	$\pi N \rightarrow \pi N$
220 $\pm$ 40	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
213	HUNT 19	DPWA	Multichannel
305	ROENCHEN 15A	DPWA	Multichannel
300 $\pm$ 15	GUTZ 14	DPWA	Multichannel
305 $\pm$ 15	ANISOVICH 12A	DPWA	Multichannel
253	ARNDT 06	DPWA	$\pi N \rightarrow \pi N, \eta N$
118	VRANA 00	DPWA	Multichannel
159	HOEHLER 93	SPED	$\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

 **$\Delta(1700)$  ELASTIC POLE RESIDUE****MODULUS  $|r|$** 

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
<b>10 to 40 (<math>\approx 25</math>) OUR ESTIMATE</b>			
15 $\pm$ 12	ROENCHEN 22	DPWA	Multichannel
40 $\pm$ 6	SOKHOYAN 15A	DPWA	Multichannel
13 $\pm$ 1 $\pm$ 1	<sup>1</sup> SVARC 14	L+P	$\pi N \rightarrow \pi N$
13 $\pm$ 3	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

24	ROENCHEN	15A	DPWA	Multichannel
40 $\pm$ 6	GUTZ	14	DPWA	Multichannel
42 $\pm$ 7	ANISOVICH	12A	DPWA	Multichannel
18	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
10	HOEHLER	93	SPED	$\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

## PHASE $\theta$

VALUE ( $^{\circ}$ )	DOCUMENT ID	TECN	COMMENT
<b>-40 to 0 (<math>\approx -20</math>) OUR ESTIMATE</b>			
-13 $\pm$ 74	ROENCHEN	22	DPWA Multichannel
-1 $\pm$ 10	SOKHOYAN	15A	DPWA Multichannel
-30 $\pm$ 4 $\pm$ 3	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
-40	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
-20 $\pm$ 25	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-7.3	ROENCHEN	15A	DPWA Multichannel
-1 $\pm$ 10	GUTZ	14	DPWA Multichannel
-3 $\pm$ 15	ANISOVICH	12A	DPWA Multichannel

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

## $\Delta(1700)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by  $\Gamma_{pole}/2$ .

### Normalized residue in $N\pi \rightarrow \Delta(1700) \rightarrow \Delta\eta$

MODULUS	PHASE ( $^{\circ}$ )	DOCUMENT ID	TECN	COMMENT
0.12 $\pm$ 0.02	-60 $\pm$ 12	GUTZ	14	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.12 $\pm$ 0.03	-60 $\pm$ 15	ANISOVICH	12A	DPWA Multichannel

### Normalized residue in $N\pi \rightarrow \Delta(1700) \rightarrow \Sigma K$

MODULUS	PHASE ( $^{\circ}$ )	DOCUMENT ID	TECN	COMMENT
<b>0.007 <math>\pm</math> 0.008</b>	<b>-176 <math>\pm</math> 160</b>	ROENCHEN	22	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.011	-147	ROENCHEN	15A	DPWA Multichannel

### Normalized residue in $N\pi \rightarrow \Delta(1700) \rightarrow N(1535)\pi$

MODULUS	PHASE ( $^{\circ}$ )	DOCUMENT ID	TECN	COMMENT
0.035 $\pm$ 0.015	-75 $\pm$ 30	GUTZ	14	DPWA Multichannel

### Normalized residue in $N\pi \rightarrow \Delta(1700) \rightarrow \Delta(1232)\pi, S\text{-wave}$

MODULUS	PHASE ( $^{\circ}$ )	DOCUMENT ID	TECN	COMMENT
0.20 $\pm$ 0.15	146 $\pm$ 133	ROENCHEN	22	DPWA Multichannel
0.25 $\pm$ 0.12	135 $\pm$ 45	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.39	151	ROENCHEN	15A	DPWA Multichannel

### Normalized residue in $N\pi \rightarrow \Delta(1700) \rightarrow \Delta(1232)\pi$ , *D*-wave

<i>MODULUS</i>	<i>PHASE (°)</i>	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
$0.038 \pm 0.039$	$127 \pm 127$	ROENCHEN	22	DPWA Multichannel
$0.12 \pm 0.06$	$-160 \pm 30$	SOKHOYAN	15A	DPWA Multichannel
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>				
0.054	166	ROENCHEN	15A	DPWA Multichannel

### Normalized residue in $N\pi \rightarrow \Delta(1700) \rightarrow N(1520)\pi$ , *P*-wave

<i>MODULUS</i>	<i>PHASE (°)</i>	<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
$0.10 \pm 0.03$	$-10 \pm 20$	SOKHOYAN	15A	DPWA Multichannel

## $\Delta(1700)$ BREIT-WIGNER MASS

<i>VALUE (MeV)</i>		<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
<b>1690 to 1730 (<math>\approx 1710</math>) OUR ESTIMATE</b>				
1704 $\pm$ 8		GOLOVATCH	19	DPWA $\gamma p \rightarrow \pi^+ \pi^- p$
1720 $\pm$ 5		<sup>1</sup> HUNT	19	DPWA Multichannel
1715 $\pm$ 20		SOKHOYAN	15A	DPWA Multichannel
$1695.0 \pm 1.3$		<sup>1</sup> ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1710 $\pm$ 30		CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1680 $\pm$ 70		HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>				
1715 $\pm$ 20		GUTZ	14	DPWA Multichannel
$1715^{+30}_{-15}$		ANISOVICH	12A	DPWA Multichannel
1691 $\pm$ 4		<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
1678 $\pm$ 1		PENNER	02C	DPWA Multichannel
1732 $\pm$ 23		VRANA	00	DPWA Multichannel

<sup>1</sup> Statistical error only.

## $\Delta(1700)$ BREIT-WIGNER WIDTH

<i>VALUE (MeV)</i>		<i>DOCUMENT ID</i>	<i>TECN</i>	<i>COMMENT</i>
<b>220 to 380 (<math>\approx 300</math>) OUR ESTIMATE</b>				
295 $\pm$ 35		GOLOVATCH	19	DPWA $\gamma p \rightarrow \pi^+ \pi^- p$
226 $\pm$ 14		<sup>1</sup> HUNT	19	DPWA Multichannel
300 $\pm$ 25		SOKHOYAN	15A	DPWA Multichannel
$375.5 \pm 7.0$		<sup>1</sup> ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
280 $\pm$ 80		CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
230 $\pm$ 80		HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>				
300 $\pm$ 25		GUTZ	14	DPWA Multichannel
$310^{+40}_{-15}$		ANISOVICH	12A	DPWA Multichannel
248 $\pm$ 9		<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
606 $\pm$ 15		PENNER	02C	DPWA Multichannel
119 $\pm$ 70		VRANA	00	DPWA Multichannel

<sup>1</sup> Statistical error only.

## $\Delta(1700)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1 N\pi$	10–20 %
$\Gamma_2 N\pi\pi$	>31 %
$\Gamma_3 \Delta(1232)\pi$	9–70 %
$\Gamma_4 \Delta(1232)\pi$ , S-wave	5–54 %
$\Gamma_5 \Delta(1232)\pi$ , D-wave	4–16 %
$\Gamma_6 N\rho$ , S=3/2, S-wave	22–32 %
$\Gamma_7 N(1520)\pi$ , P-wave	1–5 %
$\Gamma_8 N(1535)\pi$	0.5–1.5 %
$\Gamma_9 \Delta(1232)\eta$	3–7 %
$\Gamma_{10} N\gamma$	0.22–0.60 %
$\Gamma_{11} N\gamma$ , helicity=1/2	0.12–0.30 %
$\Gamma_{12} N\gamma$ , helicity=3/2	0.10–0.30 %

## $\Delta(1700)$ BRANCHING RATIOS

### $\Gamma(N\pi)/\Gamma_{\text{total}}$

VALUE (%)

#### **10 to 20 OUR ESTIMATE**

15 ± 2			
22 ± 4			
$15.6 \pm 0.1$			
12 ± 3			
20 ± 3			
<b>• • • We do not use the following data for averages, fits, limits, etc. • • •</b>			
22 ± 4	GUTZ	14	DPWA Multichannel
22 ± 4	ANISOVICH	12A	DPWA Multichannel
14 ± 1	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
14 ± 1	PENNER	02C	DPWA Multichannel
5 ± 1	VRANA	00	DPWA Multichannel

<sup>1</sup> Statistical error only.

### $\Gamma_1/\Gamma$

### $\Gamma(N\pi\pi)/\Gamma_{\text{total}}$

VALUE

**0.89±0.11**

DOCUMENT ID

GOLOVATCH 19 DPWA  $\gamma p \rightarrow \pi^+ \pi^- p$

### $\Gamma_2/\Gamma$

### $\Gamma(\Delta(1232)\pi, S\text{-wave})/\Gamma_{\text{total}}$

VALUE (%)

49 ± 5  
20 ± 15

DOCUMENT ID

<sup>1</sup> HUNT 19 DPWA Multichannel  
SOKHOYAN 15A DPWA Multichannel

### $\Gamma_4/\Gamma$

• • • We do not use the following data for averages, fits, limits, etc. • • •

$20^{+25}_{-13}$	ANISOVICH	12A	DPWA	Multichannel
$54 \pm 3$	<sup>1</sup> SHRESTHA	12A	DPWA	Multichannel
$90 \pm 2$	VRANA	00	DPWA	Multichannel

<sup>1</sup> Statistical error only.

### $\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$

$\Gamma_5/\Gamma$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$7.6 \pm 0.3$	<sup>1</sup> HUNT	19	DPWA Multichannel
$10 \pm 6$	SOKHOYAN	15A	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

$12^{+14}_{-7}$	ANISOVICH	12A	DPWA	Multichannel
$1 \pm 1$	<sup>1</sup> SHRESTHA	12A	DPWA	Multichannel
$4 \pm 1$	VRANA	00	DPWA	Multichannel

<sup>1</sup> Statistical error only.

### $\Gamma(N\rho, S=3/2, S\text{-wave})/\Gamma_{\text{total}}$

$\Gamma_6/\Gamma$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$27 \pm 5$	<sup>1</sup> HUNT	19	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

$30 \pm 3$	<sup>1</sup> SHRESTHA	12A	DPWA	Multichannel
$1 \pm 1$	VRANA	00	DPWA	Multichannel

<sup>1</sup> Statistical error only.

### $\Gamma(N(1520)\pi, P\text{-wave})/\Gamma_{\text{total}}$

$\Gamma_7/\Gamma$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$3 \pm 2$	SOKHOYAN	15A	DPWA Multichannel

### $\Gamma(N(1535)\pi)/\Gamma_{\text{total}}$

$\Gamma_8/\Gamma$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$1.0 \pm 0.5$	GUTZ	14	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

$4 \pm 2$	HORN	08A	DPWA	Multichannel
-----------	------	-----	------	--------------

### $\Gamma(\Delta(1232)\eta)/\Gamma_{\text{total}}$

$\Gamma_9/\Gamma$

VALUE (%)	DOCUMENT ID	TECN	COMMENT
$5 \pm 2$	GUTZ	14	DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

$5 \pm 2$	ANISOVICH	12A	DPWA	Multichannel
-----------	-----------	-----	------	--------------

### $\Gamma(N(1535)\pi)/\Gamma(\Delta(1232)\eta)$

$\Gamma_8/\Gamma_9$

VALUE	DOCUMENT ID	TECN	COMMENT
$0.67$	KASHEVAROV 09	CBAL	$\gamma p \rightarrow p\pi^0\eta$

## $\Delta(1700)$ PHOTON DECAY AMPLITUDES AT THE POLE

### $\Delta(1700) \rightarrow N\gamma$ , helicity-1/2 amplitude $A_{1/2}$

<u>MODULUS (GeV<math>^{-1/2}</math>)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.163 $\pm$ 0.060	-4.4 $\pm$ 39	ROENCHEN	22	DPWA Multichannel
0.175 $\pm$ 0.020	50 $\pm$ 10	SOKHOYAN	15A	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.123	1.1	ROENCHEN	15A	DPWA Multichannel

### $\Delta(1700) \rightarrow N\gamma$ , helicity-3/2 amplitude $A_{3/2}$

<u>MODULUS (GeV<math>^{-1/2}</math>)</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.221 $\pm$ 0.093	-12 $\pm$ 40	ROENCHEN	22	DPWA Multichannel
0.180 $\pm$ 0.020	45 $\pm$ 10	SOKHOYAN	15A	DPWA Multichannel
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
0.124	22	ROENCHEN	15A	DPWA Multichannel

## $\Delta(1700)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES

### $\Delta(1700) \rightarrow N\gamma$ , helicity-1/2 amplitude $A_{1/2}$

<u>VALUE (GeV<math>^{-1/2}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.100 to 0.160 (<math>\approx 0.130</math>) OUR ESTIMATE</b>			
0.0872 $\pm$ 0.0189	GOLOVATCH	19	DPWA $\gamma p \rightarrow \pi^+ \pi^- p$
0.156 $\pm$ 0.017	<sup>1</sup> HUNT	19	DPWA Multichannel
0.165 $\pm$ 0.020	SOKHOYAN	15A	DPWA Multichannel
0.132 $\pm$ 0.005	<sup>1</sup> DUGGER	13	DPWA $\gamma N \rightarrow \pi N$
0.105 $\pm$ 0.005	<sup>1</sup> WORKMAN	12A	DPWA $\gamma N \rightarrow \pi N$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
0.165 $\pm$ 0.020	GUTZ	14	DPWA Multichannel
0.160 $\pm$ 0.020	ANISOVICH	12A	DPWA Multichannel
0.058 $\pm$ 0.010	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
0.226	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$
0.125 $\pm$ 0.003	DUGGER	07	DPWA $\gamma N \rightarrow \pi N$
0.096	PENNER	02D	DPWA Multichannel

<sup>1</sup> Statistical error only.

### $\Delta(1700) \rightarrow N\gamma$ , helicity-3/2 amplitude $A_{3/2}$

<u>VALUE (GeV<math>^{-1/2}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.090 to 0.170 (<math>\approx 0.130</math>) OUR ESTIMATE</b>			
0.0872 $\pm$ 0.0164	GOLOVATCH	19	DPWA $\gamma p \rightarrow \pi^+ \pi^- p$
0.0125 $\pm$ 0.0016	<sup>1</sup> HUNT	19	DPWA Multichannel
0.170 $\pm$ 0.025	SOKHOYAN	15A	DPWA Multichannel
0.108 $\pm$ 0.005	<sup>1</sup> DUGGER	13	DPWA $\gamma N \rightarrow \pi N$
0.094 $\pm$ 0.004	<sup>1</sup> WORKMAN	12A	DPWA $\gamma N \rightarrow \pi N$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$			
0.170 $\pm$ 0.025	GUTZ	14	DPWA Multichannel
0.165 $\pm$ 0.025	ANISOVICH	12A	DPWA Multichannel

0.097	$\pm 0.008$	1 SHRESTHA	12A	DPWA	Multichannel
0.210		DRECHSEL	07	DPWA	$\gamma N \rightarrow \pi N$
0.105	$\pm 0.003$	DUGGER	07	DPWA	$\gamma N \rightarrow \pi N$
0.154		PENNER	02D	DPWA	Multichannel

<sup>1</sup> Statistical error only.

## **$\Delta(1700)$ REFERENCES**

For early references, see Physics Letters **111B** 1 (1982).

ROENCHEN	22	EPJ A58 229	D. Roenchen <i>et al.</i>	(JULI, GWU, BONN+)
GOLOVATCH	19	PL B788 371	E. Golovatch <i>et al.</i>	(CLAS Collab.)
HUNT	19	PR C99 055205	B.C. Hunt, D.M. Manley	
ROENCHEN	15A	EPJ A51 70	D. Roenchen <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
GUTZ	14	EPJ A50 74	E. Gutz <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
DUGGER	13	PR C88 065203	M. Dugger <i>et al.</i>	(JLab CLAS Collab.)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
WORKMAN	12A	PR C86 015202	R. Workman <i>et al.</i>	(GWU)
KASHEVAROV	09	EPJ A42 141	V.L. Kashevarov <i>et al.</i>	(MAMI Crystal Ball/TAPS)
HORN	08A	EPJ A38 173	I. Horn <i>et al.</i>	(CB-ELSA Collab.)
Also		PRL 101 202002	I. Horn <i>et al.</i>	(CB-ELSA Collab.)
DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator	(MAINZ, JINR)
DUGGER	07	PR C76 025211	M. Dugger <i>et al.</i>	(JLab CLAS Collab.)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
PENNER	02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER	02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	$\pi N$ Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP