

$N(1520)$ $3/2^-$ $I(J^P) = \frac{1}{2}(\frac{3}{2}^-)$ Status: ***

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

 $N(1520)$ POLE POSITION**REAL PART**

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|-------------|-------------|------|---------|
|-------------|-------------|------|---------|

1505 to 1515 (\approx 1510) OUR ESTIMATE

| | | | |
|--|--------------------|-----|--|
| 1482 \pm 3 | ROENCHEN | 22 | DPWA Multichannel |
| 1507 \pm 2 | SOKHOYAN | 15A | DPWA Multichannel |
| 1506 \pm 1 \pm 1 | ¹ SVARC | 14 | L+P $\pi N \rightarrow \pi N$ |
| 1510 \pm 5 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 1500 | HUNT | 19 | DPWA Multichannel |
| 1512 | ROENCHEN | 15A | DPWA Multichannel |
| 1492 | SHKLYAR | 13 | DPWA Multichannel |
| 1507 \pm 3 | ANISOVICH | 12A | DPWA Multichannel |
| 1506 \pm 9 | BATINIC | 10 | DPWA $\pi N \rightarrow N\pi, N\eta$ |
| 1515 | ARNDT | 06 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| 1504 | VRANA | 00 | DPWA Multichannel |
| 1510 | HOEHLER | 93 | ARGD $\pi N \rightarrow \pi N$ |

¹ Fit to the amplitudes of HOEHLER 79.

 $-2 \times$ IMAGINARY PART

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|-------------|-------------|------|---------|
|-------------|-------------|------|---------|

105 to 120 (\approx 110) OUR ESTIMATE

| | | | |
|--|--------------------|-----|--|
| 126 \pm 9 | ROENCHEN | 22 | DPWA Multichannel |
| 111 \pm 3 | SOKHOYAN | 15A | DPWA Multichannel |
| 115 \pm 2 \pm 1 | ¹ SVARC | 14 | L+P $\pi N \rightarrow \pi N$ |
| 114 \pm 10 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 117 | HUNT | 19 | DPWA Multichannel |
| 89 | ROENCHEN | 15A | DPWA Multichannel |
| 94 | SHKLYAR | 13 | DPWA Multichannel |
| 111 \pm 5 | ANISOVICH | 12A | DPWA Multichannel |
| 122 \pm 9 | BATINIC | 10 | DPWA $\pi N \rightarrow N\pi, N\eta$ |
| 113 | ARNDT | 06 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| 112 | VRANA | 00 | DPWA Multichannel |
| 120 | HOEHLER | 93 | ARGD $\pi N \rightarrow \pi N$ |

¹ Fit to the amplitudes of HOEHLER 79.

N(1520) ELASTIC POLE RESIDUE

MODULUS $|r|$

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|---|--------------------|------|--|
| 32 to 38 (≈ 35) OUR ESTIMATE | | | |
| 27 \pm 11 | ROENCHEN | 22 | DPWA Multichannel |
| 36 \pm 2 | SOKHOYAN | 15A | DPWA Multichannel |
| 33 \pm 1 \pm 1 | ¹ SVARC | 14 | L+P $\pi N \rightarrow \pi N$ |
| 35 \pm 2 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 37 | ROENCHEN | 15A | DPWA Multichannel |
| 27 | SHKLYAR | 13 | DPWA Multichannel |
| 36 \pm 3 | ANISOVICH | 12A | DPWA Multichannel |
| 35 | BATINIC | 10 | DPWA $\pi N \rightarrow N\pi, N\eta$ |
| 38 | ARNDT | 06 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| 32 | HOEHLER | 93 | ARGD $\pi N \rightarrow \pi N$ |

¹ Fit to the amplitudes of HOEHLER 79.

PHASE θ

| VALUE (°) | DOCUMENT ID | TECN | COMMENT |
|---|--------------------|------|--|
| -15 to -5 (≈ -10) OUR ESTIMATE | | | |
| -36 \pm 24 | ROENCHEN | 22 | DPWA Multichannel |
| -14 \pm 3 | SOKHOYAN | 15A | DPWA Multichannel |
| -15 \pm 1 \pm 1 | ¹ SVARC | 14 | L+P $\pi N \rightarrow \pi N$ |
| -12 \pm 5 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| -6 | ROENCHEN | 15A | DPWA Multichannel |
| -35 | SHKLYAR | 13 | DPWA Multichannel |
| -14 \pm 3 | ANISOVICH | 12A | DPWA Multichannel |
| -7 | BATINIC | 10 | DPWA $\pi N \rightarrow N\pi, N\eta$ |
| -5 | ARNDT | 06 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| -8 | HOEHLER | 93 | ARGD $\pi N \rightarrow \pi N$ |

¹ Fit to the amplitudes of HOEHLER 79.

N(1520) INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(1520) \rightarrow \Delta\pi, S\text{-wave}$

| MODULUS | PHASE (°) | DOCUMENT ID | TECN | COMMENT |
|---|--------------|-------------|------|-------------------|
| 0.33 \pm 0.04 | 155 \pm 15 | SOKHOYAN | 15A | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 0.33 \pm 0.05 | 150 \pm 20 | ANISOVICH | 12A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1520) \rightarrow \Delta\pi, D\text{-wave}$

| MODULUS | PHASE (°) | DOCUMENT ID | TECN | COMMENT |
|---|--------------|-------------|------|-------------------|
| 0.25 \pm 0.03 | 105 \pm 18 | SOKHOYAN | 15A | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 0.25 \pm 0.03 | 100 \pm 20 | ANISOVICH | 12A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1520) \rightarrow N\eta$

| <u>MODULUS</u> | <u>PHASE (°)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|------------------|--------------------|-------------|-------------------|
| 0.021±0.009 | 34 ± 27 | ROENCHEN | 22 | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 0.026 | 95 | ROENCHEN | 15A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1520) \rightarrow \Lambda K$

| <u>MODULUS</u> | <u>PHASE (°)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|------------------|--------------------|-------------|-------------------|
| 0.026±0.010 | 127 ± 24 | ROENCHEN | 22 | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 0.069 | 158 | ROENCHEN | 15A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1520) \rightarrow \Sigma K$

| <u>MODULUS</u> | <u>PHASE (°)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|------------------|--------------------|-------------|-------------------|
| 0.010±0.006 | 94 ± 34 | ROENCHEN | 22 | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 0.049 | -41 | ROENCHEN | 15A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1520) \rightarrow N\sigma$

| <u>MODULUS</u> | <u>PHASE (°)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|----------------|------------------|--------------------|-------------|-------------------|
| 0.08±0.03 | -45 ± 25 | SOKHOYAN | 15A | DPWA Multichannel |

 $N(1520)$ BREIT-WIGNER MASS

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|-----------------------|-------------|--|
| 1510 to 1520 (\approx 1515) OUR ESTIMATE | | | |
| 1512.0± 1.5 | ¹ HUNT | 19 | DPWA Multichannel |
| 1516 ± 2 | SOKHOYAN | 15A | DPWA Multichannel |
| 1505 ± 4 | ¹ SHKLYAR | 13 | DPWA Multichannel |
| 1514.5± 0.2 | ¹ ARNDT | 06 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| 1525 ± 10 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| 1519 ± 4 | HOEHLER | 79 | IPWA $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 1517 ± 3 | ANISOVICH | 12A | DPWA Multichannel |
| 1512.6± 0.5 | ¹ SHRESTHA | 12A | DPWA Multichannel |
| 1522 ± 8 | BATINIC | 10 | DPWA $\pi N \rightarrow N\pi, N\eta$ |
| 1509 ± 1 | PENNER | 02C | DPWA Multichannel |
| 1518 ± 3 | VRANA | 00 | DPWA Multichannel |

¹ Statistical error only.

 $N(1520)$ BREIT-WIGNER WIDTH

| <u>VALUE (MeV)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|----------------------|-------------|--|
| 100 to 120 (\approx 110) OUR ESTIMATE | | | |
| 121 ± 3 | ¹ HUNT | 19 | DPWA Multichannel |
| 113 ± 4 | SOKHOYAN | 15A | DPWA Multichannel |
| 100 ± 2 | ¹ SHKLYAR | 13 | DPWA Multichannel |
| 103.6± 0.4 | ¹ ARNDT | 06 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| 120 ± 15 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| 114 ± 7 | HOEHLER | 79 | IPWA $\pi N \rightarrow \pi N$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | |
|----------|-----------------------|-----|------|---------------------------------|
| 114 ± 5 | ANISOVICH | 12A | DPWA | Multichannel |
| 117 ± 1 | ¹ SHRESTHA | 12A | DPWA | Multichannel |
| 132 ± 11 | BATINIC | 10 | DPWA | $\pi N \rightarrow N\pi, N\eta$ |
| 100 ± 2 | PENNER | 02C | DPWA | Multichannel |
| 124 ± 4 | VRANA | 00 | DPWA | Multichannel |

¹ Statistical error only.

N(1520) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

| Mode | Fraction (Γ_i/Γ) |
|---|--------------------------------|
| $\Gamma_1 N\pi$ | 55–65 % |
| $\Gamma_2 N\eta$ | 0.07–0.09 % |
| $\Gamma_3 N\pi\pi$ | 25–35 % |
| $\Gamma_4 \Delta(1232)\pi$ | 22–34 % |
| $\Gamma_5 \Delta(1232)\pi, S\text{-wave}$ | 15–23 % |
| $\Gamma_6 \Delta(1232)\pi, D\text{-wave}$ | 7–11 % |
| $\Gamma_7 N\rho$ | 10–16 % |
| $\Gamma_8 N\rho, S=3/2, S\text{-wave}$ | 10–16 % |
| $\Gamma_9 N\rho, S=1/2, D\text{-wave}$ | 0.2–0.4 % |
| $\Gamma_{10} N\sigma$ | <10 % |
| $\Gamma_{11} p\gamma$ | 0.31–0.52 % |
| $\Gamma_{12} p\gamma, \text{ helicity}=1/2$ | 0.01–0.02 % |
| $\Gamma_{13} p\gamma, \text{ helicity}=3/2$ | 0.30–0.50 % |
| $\Gamma_{14} n\gamma$ | 0.30–0.53 % |
| $\Gamma_{15} n\gamma, \text{ helicity}=1/2$ | 0.04–0.10 % |
| $\Gamma_{16} n\gamma, \text{ helicity}=3/2$ | 0.25–0.45 % |

N(1520) BRANCHING RATIOS

| $\Gamma(N\pi)/\Gamma_{\text{total}}$ | Γ_1/Γ | | |
|---|-----------------------|------|--|
| VALUE (%) | DOCUMENT ID | TECN | COMMENT |
| 55 to 65 (≈ 60) OUR ESTIMATE | | | |
| 58.3 ± 1.5 | ¹ HUNT | 19 | DPWA Multichannel |
| 61 ± 2 | SOKHOYAN | 15A | DPWA Multichannel |
| 57 ± 2 | ¹ SHKLYAR | 13 | DPWA Multichannel |
| 63.2 ± 0.1 | ¹ ARNDT | 06 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| 58 ± 3 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| 54 ± 3 | HOEHLER | 79 | IPWA $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 62 ± 3 | ANISOVICH | 12A | DPWA Multichannel |
| 62.7 ± 0.5 | ¹ SHRESTHA | 12A | DPWA Multichannel |
| 55 ± 5 | BATINIC | 10 | DPWA $\pi N \rightarrow N\pi, N\eta$ |

56 ± 1
63 ± 2

PENNER 02C DPWA Multichannel
VRANA 00 DPWA Multichannel

¹ Statistical error only.

$\Gamma(N\eta)/\Gamma_{\text{total}}$

VALUE (%)

<0.1
 0.03 ± 0.01
 0.08 ± 0.01

DOCUMENT ID

MUELLER 20 DPWA Multichannel
¹ HUNT 19 DPWA Multichannel
TIATOR 99 DPWA $\gamma p \rightarrow p\eta$

• • • We do not use the following data for averages, fits, limits, etc. • • •

<1
 0.1 ± 0.1
 0.2 ± 0.1
0.08 to 0.12
 0.23 ± 0.04
 0 ± 1

SHKLYAR 13 DPWA Multichannel
BATINIC 10 DPWA $\pi N \rightarrow N\pi, N\eta$
THOMA 08 DPWA Multichannel
ARNDT 05 DPWA Multichannel
PENNER 02C DPWA Multichannel
VRANA 00 DPWA Multichannel

¹ Statistical error only.

Γ_2/Γ

$\Gamma(\Delta(1232)\pi, S\text{-wave})/\Gamma_{\text{total}}$

VALUE (%)

12.1 ± 2.1
 21 ± 2
 19 ± 4

DOCUMENT ID

ADAMCZEW... 20 DPWA Multichannel
¹ HUNT 19 DPWA Multichannel
SOKHOYAN 15A DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

19 ± 4
 9.3 ± 0.7
 15 ± 2

ANISOVICH 12A DPWA Multichannel
¹ SHRESTHA 12A DPWA Multichannel
VRANA 00 DPWA Multichannel

¹ Statistical error only.

Γ_5/Γ

$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$

VALUE (%)

6 ± 2
 6 ± 1
 9 ± 2

DOCUMENT ID

ADAMCZEW... 20 DPWA Multichannel
¹ HUNT 19 DPWA Multichannel
SOKHOYAN 15A DPWA Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

9 ± 2
 6.3 ± 0.5
 11 ± 2

ANISOVICH 12A DPWA Multichannel
¹ SHRESTHA 12A DPWA Multichannel
VRANA 00 DPWA Multichannel

¹ Statistical error only.

Γ_6/Γ

$\Gamma(N\rho, S=3/2, S\text{-wave})/\Gamma_{\text{total}}$

VALUE (%)

10–16 % OUR EVALUATION

11.8 ± 1.9
 14.1 ± 1.5

DOCUMENT ID

ADAMCZEW... 20 DPWA Multichannel
¹ HUNT 19 DPWA Multichannel

¹ Statistical error only

Γ_8/Γ

| $\Gamma(N\rho, S=1/2, D\text{-wave})/\Gamma_{\text{total}}$ | Γ_9/Γ | | |
|---|---------------------------|------|--------------|
| VALUE (%) | DOCUMENT ID | TECN | COMMENT |
| 0.2–0.4 % OUR EVALUATION | | | |
| 0.4±0.2 | ADAMCZEW... 20 | DPWA | Multichannel |
| $\Gamma(N\sigma)/\Gamma_{\text{total}}$ | | | |
| VALUE (%) | DOCUMENT ID | TECN | COMMENT |
| <10 % OUR ESTIMATE | | | |
| 7 ±3 | ADAMCZEW... 20 | DPWA | Multichannel |
| <0.7 | ¹ HUNT 19 | DPWA | Multichannel |
| <2 | SOKHOYAN 15A | DPWA | Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| <1 | ¹ SHRESTHA 12A | DPWA | Multichannel |
| <4 | THOMA 08 | DPWA | Multichannel |
| 1 ±1 | VRANA 00 | DPWA | Multichannel |
| 1 Statistical error only. | | | |

N(1520) PHOTON DECAY AMPLITUDES AT THE POLE

N(1520) → $p\gamma$, helicity-1/2 amplitude $A_{1/2}$

| MODULUS (GeV $^{-1/2}$) | PHASE (°) | DOCUMENT ID | TECN | COMMENT |
|---|-----------|--------------|------|--------------|
| -0.043±0.013 | -47 ± 10 | ROENCHEN 22 | DPWA | Multichannel |
| -0.023±0.004 | -6 ± 5 | SOKHOYAN 15A | DPWA | Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| -0.031 | -17 | ROENCHEN 15A | DPWA | Multichannel |

N(1520) → $p\gamma$, helicity-3/2 amplitude $A_{3/2}$

| MODULUS (GeV $^{-1/2}$) | PHASE (°) | DOCUMENT ID | TECN | COMMENT |
|---|-----------|--------------|------|--------------|
| 0.112±0.032 | 1.8 ± 19 | ROENCHEN 22 | DPWA | Multichannel |
| 0.131±0.006 | 4 ± 4 | SOKHOYAN 15A | DPWA | Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 0.075 | 1.7 | ROENCHEN 15A | DPWA | Multichannel |

N(1520) BREIT-WIGNER PHOTON DECAY AMPLITUDES

N(1520) → $p\gamma$, helicity-1/2 amplitude $A_{1/2}$

| VALUE (GeV $^{-1/2}$) | DOCUMENT ID | TECN | COMMENT |
|---|---------------------------|------|------------------------------|
| -0.030 to -0.015 (≈ -0.025) OUR ESTIMATE | | | |
| -0.034±0.003 | ¹ HUNT 19 | DPWA | Multichannel |
| -0.024±0.004 | SOKHOYAN 15A | DPWA | Multichannel |
| -0.015±0.001 | ¹ SHKLYAR 13 | DPWA | Multichannel |
| -0.019±0.002 | ¹ WORKMAN 12A | DPWA | $\gamma N \rightarrow N\pi$ |
| -0.028±0.002 | ¹ DUGGER 07 | DPWA | $\gamma N \rightarrow \pi N$ |
| -0.038±0.003 | ¹ AHRENS 02 | DPWA | $\gamma N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| -0.022±0.004 | ANISOVICH 12A | DPWA | Multichannel |
| -0.034±0.001 | ¹ SHRESTHA 12A | DPWA | Multichannel |

| | | | | |
|--------------------|--------------------------|-----|------|-------------------------------|
| -0.027 | DRECHSEL | 07 | DPWA | $\gamma N \rightarrow \pi N$ |
| -0.003 | PENNER | 02D | DPWA | Multichannel |
| -0.052±0.010±0.007 | ¹ MUKHOPAD... | 98 | | $\gamma p \rightarrow \eta p$ |

¹ Statistical error only.

$N(1520) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

| VALUE (GeV ^{-1/2}) | DOCUMENT ID | TECN | COMMENT |
|---|--------------------------|------|-----------------------------------|
| 0.135 to 0.145 (≈ 0.140) OUR ESTIMATE | | | |
| 0.142±0.003 | ¹ HUNT | 19 | DPWA Multichannel |
| 0.130±0.006 | SOKHOYAN | 15A | DPWA Multichannel |
| 0.146±0.001 | ¹ SHKLYAR | 13 | DPWA Multichannel |
| 0.141±0.002 | ¹ WORKMAN | 12A | DPWA $\gamma N \rightarrow N\pi$ |
| 0.143±0.002 | ¹ DUGGER | 07 | DPWA $\gamma N \rightarrow \pi N$ |
| 0.147±0.010 | ¹ AHRENS | 02 | DPWA $\gamma N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 0.131±0.010 | ANISOVICH | 12A | DPWA Multichannel |
| 0.127±0.003 | ¹ SHRESTHA | 12A | DPWA Multichannel |
| 0.161 | DRECHSEL | 07 | DPWA $\gamma N \rightarrow \pi N$ |
| 0.151 | PENNER | 02D | DPWA Multichannel |
| 0.130±0.020±0.015 | ¹ MUKHOPAD... | 98 | $\gamma p \rightarrow \eta p$ |

¹ Statistical error only.

$N(1520) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

| VALUE (GeV ^{-1/2}) | DOCUMENT ID | TECN | COMMENT |
|---|-----------------------|------|-----------------------------------|
| -0.055 to -0.040 (≈ -0.050) OUR ESTIMATE | | | |
| -0.072±0.003 | ¹ HUNT | 19 | DPWA Multichannel |
| -0.049±0.008 | ANISOVICH | 13B | DPWA Multichannel |
| -0.046±0.006 | ¹ CHEN | 12A | DPWA $\gamma N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| -0.038±0.003 | ¹ SHRESTHA | 12A | DPWA Multichannel |
| -0.077 | DRECHSEL | 07 | DPWA $\gamma N \rightarrow \pi N$ |
| -0.084 | PENNER | 02D | DPWA Multichannel |

¹ Statistical error only.

$N(1520) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

| VALUE (GeV ^{-1/2}) | DOCUMENT ID | TECN | COMMENT |
|---|-----------------------|------|-----------------------------------|
| -0.120 to -0.100 (≈ -0.115) OUR ESTIMATE | | | |
| -0.123±0.006 | ¹ HUNT | 19 | DPWA Multichannel |
| -0.113±0.012 | ANISOVICH | 13B | DPWA Multichannel |
| -0.115±0.005 | ¹ CHEN | 12A | DPWA $\gamma N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| -0.101±0.004 | ¹ SHRESTHA | 12A | DPWA Multichannel |
| -0.154 | DRECHSEL | 07 | DPWA $\gamma N \rightarrow \pi N$ |
| -0.159 | PENNER | 02D | DPWA Multichannel |
| ¹ Statistical error only. | | | |

N(1520) REFERENCES

For early references, see Physics Letters **111B** 1 (1982). For very early references, see Reviews of Modern Physics **37** 633 (1965).

| | | | | |
|-------------|-----|------------------------|--------------------------------------|-----------------------------|
| ROENCHEN | 22 | EPJ A58 229 | D. Roenchen <i>et al.</i> | (JULI, GWU, BONN+) |
| ADAMCZEW... | 20 | PR C102 024001 | J. Adamczewski-Musch <i>et al.</i> | (HADES Collab.) |
| MUELLER | 20 | PL B803 135323 | J. Mueller <i>et al.</i> | (CBELSA/TAPS Collab.) |
| HUNT | 19 | PR C99 055205 | B.C. Hunt, D.M. Manley | |
| ROENCHEN | 15A | EPJ A51 70 | D. Roenchen <i>et al.</i> | |
| SOKHOYAN | 15A | EPJ A51 95 | V. Sokhoyan <i>et al.</i> | (CBELSA/TAPS Collab.) |
| PDG | 14 | CP C38 070001 | K. Olive <i>et al.</i> | (PDG Collab.) |
| SVARC | 14 | PR C89 045205 | A. Svarc <i>et al.</i> | (RBI Zagreb, UNI Tuzla) |
| ANISOVICH | 13B | EPJ A49 67 | A.V. Anisovich <i>et al.</i> | |
| SHKLYAR | 13 | PR C87 015201 | V. Shklyar, H. Lenske, U. Mosel | (GIES) |
| ANISOVICH | 12A | EPJ A48 15 | A.V. Anisovich <i>et al.</i> | (BONN, PNPI) |
| CHEM | 12A | PR C86 015206 | W. Chen <i>et al.</i> | (DUKE, GWU, MSST, ITEP+) |
| SHRESTHA | 12A | PR C86 055203 | M. Shrestha, D.M. Manley | (KSU) |
| WORKMAN | 12A | PR C86 015202 | R. Workman <i>et al.</i> | (GWU) |
| BATINIC | 10 | PR C82 038203 | M. Batinic <i>et al.</i> | (ZAGR) |
| THOMA | 08 | PL B659 87 | U. Thoma <i>et al.</i> | (CB-ELSA Collab.) |
| DRECHSEL | 07 | EPJ A34 69 | D. Drechsel, S.S. Kamalov, L. Tiator | (MAINZ, JINR) |
| DUGGER | 07 | PR C76 025211 | M. Dugger <i>et al.</i> | (JLab CLAS Collab.) |
| ARNDT | 06 | PR C74 045205 | R.A. Arndt <i>et al.</i> | (GWU) |
| ARNDT | 05 | PR C72 045202 | R.A. Arndt <i>et al.</i> | (GWU, PNPI) |
| AHRENS | 02 | PRL 88 232002 | J. Ahrens <i>et al.</i> | (Mainz MAMI GDH/A2 Collab.) |
| PENNER | 02C | PR C66 055211 | G. Penner, U. Mosel | (GIES) |
| PENNER | 02D | PR C66 055212 | G. Penner, U. Mosel | (GIES) |
| VRANA | 00 | PRPL 328 181 | T.P. Vrana, S.A. Dytman, T.-S.H. Lee | (PITT, ANL) |
| TIATOR | 99 | PR C60 035210 | L. Tiator <i>et al.</i> | |
| MUKHOPAD... | 98 | PL B444 7 | N.C. Mukhopadhyay, N. Mathur | |
| HOEHLER | 93 | πN Newsletter 9 1 | G. Hohler | (KARL) |
| CUTKOSKY | 80 | Toronto Conf. 19 | R.E. Cutkosky <i>et al.</i> | (CMU, LBL) IJP |
| Also | | PR D20 2839 | R.E. Cutkosky <i>et al.</i> | (CMU, LBL) IJP |
| HOEHLER | 79 | PDAT 12-1 | G. Hohler <i>et al.</i> | (KARLT) IJP |
| Also | | Toronto Conf. 3 | R. Koch | (KARLT) IJP |
