

$\Sigma(2010)$ $3/2^-$

$I(J^P) = 1(\frac{3}{2}^-)$ Status: *

OMITTED FROM SUMMARY TABLE

$\Sigma(2010)$ POLE POSITION

REAL PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1995 ± 12	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

$-2 \times$ IMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
175 ± 24	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

$\Sigma(2010)$ POLE RESIDUES

The normalized residue is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\bar{K}$ → $\Sigma(2010)$ → $N\bar{K}$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.07 ± 0.03	-115 ± 25	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

Normalized residue in $N\bar{K}$ → $\Sigma(2010)$ → $\Sigma\pi$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.04 ± 0.02	130 ± 22	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

Normalized residue in $N\bar{K}$ → $\Sigma(2010)$ → $\Lambda\pi$

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.06 ± 0.03	170 ± 25	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

Normalized residue in $N\bar{K}$ → $\Sigma(2010)$ → ΞK

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.04 ± 0.02	-120 ± 45	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

Normalized residue in $N\bar{K}$ → $\Sigma(2010)$ → $\Lambda(1520)\pi$, P-wave

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.03 ± 0.02	80 ± 35	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

Normalized residue in $N\bar{K}$ → $\Sigma(2010)$ → $\Lambda(1520)\pi$, F-wave

MODULUS	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.08 ± 0.05	150 ± 65	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

Normalized residue in $N\bar{K}$ → $\Sigma(2010)$ → $\Sigma(1385)\pi$, P-wave

VALUE	DOCUMENT ID	TECN	COMMENT
$0.04 + 0.02025 + 45$	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

Normalized residue in $N\bar{K}$ → $\Sigma(2010)$ → $\Sigma(1385)\pi$, F-wave

VALUE	DOCUMENT ID	TECN	COMMENT
0.02 ± 0.02	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

Normalized residue in $N\bar{K} \rightarrow \Sigma(2010) \rightarrow \Delta\bar{K}$, S-wave

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.08±0.04	0 ± 30	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

Normalized residue in $N\bar{K} \rightarrow \Sigma(2010) \rightarrow \Delta\bar{K}$, D-wave

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.02±0.02		SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

Normalized residue in $N\bar{K} \rightarrow \Sigma(2010) \rightarrow N\bar{K}^*(892)$, S-wave

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.12+0.03@-60+-60	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

Normalized residue in $N\bar{K} \rightarrow \Sigma(2010) \rightarrow N\bar{K}^*(892)$, S=1/2, D-wave

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.08±0.04	55 ± 60	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

Normalized residue in $N\bar{K} \rightarrow \Sigma(2010) \rightarrow N\bar{K}^*(892)$, S=3/2, D-wave

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.08±0.04	15 ± 60	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

$\Sigma(2010)$ MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2005±14	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

$\Sigma(2010)$ WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
178±23	SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

$\Sigma(2010)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 N\bar{K}$	(7.0±3.0) %
$\Gamma_2 \Lambda\pi$	(5.0±2.0) %
$\Gamma_3 \Sigma\pi$	(3.0±2.0) %
$\Gamma_4 \Xi K$	(3.0±2.0) %
$\Gamma_5 \Sigma(1385)\pi$, P-wave	(3.0±2.0) %
$\Gamma_6 \Sigma(1385)\pi$, F-wave	(2.0±2.0) %
$\Gamma_7 \Lambda(1520)\pi$, P-wave	(2.0±2.0) %
$\Gamma_8 \Lambda(1520)\pi$, F-wave	(12 ± 6) %
$\Gamma_9 \Delta\bar{K}$, S-wave	(11 ± 5) %
$\Gamma_{10} \Delta\bar{K}$, D-wave	(1.0±1.0) %
$\Gamma_{11} N\bar{K}^*(892)$, S=1/2, S-wave	(27 ± 7) %
$\Gamma_{12} N\bar{K}^*(892)$, S=1/2, D-wave	(13 ± 6) %
$\Gamma_{13} N\bar{K}^*(892)$, S=3/2, D-wave	(13 ± 6) %

$\Sigma(2010)$ BRANCHING RATIOS

See “Sign conventions for resonance couplings” in the Note on Λ and Σ Resonances.

$\Gamma(N\bar{K})/\Gamma_{\text{total}}$

VALUE
0.07±0.03

DOCUMENT ID	TECN	COMMENT
SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

Γ_1/Γ

$\Gamma(\Lambda\pi)/\Gamma_{\text{total}}$

VALUE
0.05±0.02

DOCUMENT ID	TECN	COMMENT
SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

Γ_2/Γ

$\Gamma(\Sigma\pi)/\Gamma_{\text{total}}$

VALUE
0.03±0.02

DOCUMENT ID	TECN	COMMENT
SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

Γ_3/Γ

$\Gamma(\Xi K)/\Gamma_{\text{total}}$

VALUE
0.03±0.02

DOCUMENT ID	TECN	COMMENT
SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

Γ_4/Γ

$\Gamma(\Sigma(1385)\pi, P\text{-wave})/\Gamma_{\text{total}}$

VALUE
0.03±0.02

DOCUMENT ID	TECN	COMMENT
SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

Γ_5/Γ

$\Gamma(\Sigma(1385)\pi, F\text{-wave})/\Gamma_{\text{total}}$

VALUE
0.02±0.02

DOCUMENT ID	TECN	COMMENT
SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

Γ_6/Γ

$\Gamma(\Lambda(1520)\pi, P\text{-wave})/\Gamma_{\text{total}}$

VALUE
0.02±0.02

DOCUMENT ID	TECN	COMMENT
SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

Γ_7/Γ

$\Gamma(\Lambda(1520)\pi, F\text{-wave})/\Gamma_{\text{total}}$

VALUE
0.12±0.06

DOCUMENT ID	TECN	COMMENT
SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

Γ_8/Γ

$\Gamma(\Delta\bar{K}, S\text{-wave})/\Gamma_{\text{total}}$

VALUE
0.11±0.05

DOCUMENT ID	TECN	COMMENT
SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

Γ_9/Γ

$\Gamma(\Delta\bar{K}, D\text{-wave})/\Gamma_{\text{total}}$

VALUE
0.01±0.01

DOCUMENT ID	TECN	COMMENT
SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

Γ_{10}/Γ

$\Gamma(N\bar{K}^*(892), S=1/2, S\text{-wave})/\Gamma_{\text{total}}$

VALUE
0.27±0.07

DOCUMENT ID	TECN	COMMENT
SARANTSEV 19	DPWA	$\bar{K}N$ multichannel

Γ_{11}/Γ

$\Gamma(N\bar{K}^*(892), S=1/2, D\text{-wave})/\Gamma_{\text{total}}$		Γ_{12}/Γ
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u> <u>COMMENT</u>
0.13±0.06	SARANTSEV 19	DPWA $\bar{K}N$ multichannel
$\Gamma(N\bar{K}^*(892), S=3/2, D\text{-wave})/\Gamma_{\text{total}}$		Γ_{13}/Γ
<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u> <u>COMMENT</u>
0.13±0.06	SARANTSEV 19	DPWA $\bar{K}N$ multichannel

$\Sigma(2010)$ REFERENCES

SARANTSEV 19 EPJ A55 180

A.V. Sarantsev *et al.*

(BONN, PNPI)