

$N(1675) \ 5/2^-$  $I(J^P) = \frac{1}{2}(\frac{5}{2}^-)$  Status: \*\*\*\*Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014). **$N(1675)$  POLE POSITION****REAL PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1650 to 1660 (<math>\approx 1655</math>) OUR ESTIMATE</b>			
1652 $\pm$ 2	ROENCHEN	22	DPWA Multichannel
1655 $\pm$ 4	SOKHOYAN	15A	DPWA Multichannel
1654 $\pm$ 2	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
1660 $\pm$ 10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1646	HUNT	19	DPWA Multichannel
1646	ROENCHEN	15A	DPWA Multichannel
1640	SHKLYAR	13	DPWA Multichannel
1654 $\pm$ 4	ANISOVICH	12A	DPWA Multichannel
1658 $\pm$ 9	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
1657	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1674	VRANA	00	DPWA Multichannel
1656	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.**-2×IMAGINARY PART**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>120 to 150 (<math>\approx 135</math>) OUR ESTIMATE</b>			
119 $\pm$ 1	ROENCHEN	22	DPWA Multichannel
147 $\pm$ 5	SOKHOYAN	15A	DPWA Multichannel
125 $\pm$ 3 $\pm$ 1	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
140 $\pm$ 10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
146	HUNT	19	DPWA Multichannel
125	ROENCHEN	15A	DPWA Multichannel
108	SHKLYAR	13	DPWA Multichannel
151 $\pm$ 5	ANISOVICH	12A	DPWA Multichannel
137 $\pm$ 7	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
139	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
120	VRANA	00	DPWA Multichannel
126	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$

<sup>1</sup> Fit to the amplitudes of HOEHLER 79. **$N(1675)$  ELASTIC POLE RESIDUE****MODULUS  $|r|$** 

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>22 to 32 (<math>\approx 26</math>) OUR ESTIMATE</b>			
22 $\pm$ 1	ROENCHEN	22	DPWA Multichannel
28 $\pm$ 1	SOKHOYAN	15A	DPWA Multichannel

23±1	<sup>1</sup> SVARC	14	L+P	$\pi N \rightarrow \pi N$
31±5	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
24	ROENCHEN	15A	DPWA	Multichannel
20	SHKLYAR	13	DPWA	Multichannel
28±1	ANISOVICH	12A	DPWA	Multichannel
25	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
27	ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$
23	HOEHLER	93	ARGD	$\pi N \rightarrow \pi N$

<sup>1</sup>Fit to the amplitudes of HOEHLER 79.

## PHASE $\theta$

<u>VALUE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>−27 to −17 (≈ −22) OUR ESTIMATE</b>			
−17±1	ROENCHEN	22	DPWA Multichannel
−24±4	SOKHOYAN	15A	DPWA Multichannel
−25±2	<sup>1</sup> SVARC	14	L+P $\pi N \rightarrow \pi N$
−30±10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
−22	ROENCHEN	15A	DPWA Multichannel
−49	SHKLYAR	13	DPWA Multichannel
−26±4	ANISOVICH	12A	DPWA Multichannel
−16	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
−21	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
−22	HOEHLER	93	ARGD $\pi N \rightarrow \pi N$

<sup>1</sup>Fit to the amplitudes of HOEHLER 79.

## $N(1675)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by  $\Gamma_{pole}/2$ .

### Normalized residue in $N\pi \rightarrow N(1675) \rightarrow \Delta\pi, D\text{-wave}$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.33±0.04	90 ± 15	SOKHOYAN	15A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.33±0.05	82 ± 10	ANISOVICH	12A	DPWA Multichannel

### Normalized residue in $N\pi \rightarrow N(1675) \rightarrow N\eta$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.063±0.005	−39 ± 1	ROENCHEN	22	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.044	−43	ROENCHEN	15A	DPWA Multichannel

### Normalized residue in $N\pi \rightarrow N(1675) \rightarrow \Lambda K$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.001±0.001	174 ± 80	ROENCHEN	22	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.001	100	ROENCHEN	15A	DPWA Multichannel

**Normalized residue in  $N\pi \rightarrow N(1675) \rightarrow \Sigma K$** 

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.024 \pm 0.001$	$-166 \pm 3$	ROENCHEN	22	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
0.031	$-175$	ROENCHEN	15A	DPWA Multichannel

**Normalized residue in  $N\pi \rightarrow N(1675) \rightarrow N\sigma$** 

<u>MODULUS</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.13 \pm 0.03$	$125 \pm 20$	SOKHOYAN	15A	DPWA Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
$0.15 \pm 0.04$	$132 \pm 18$	ANISOVICH	12A	DPWA Multichannel

 **$N(1675)$  BREIT-WIGNER MASS**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>1665 to 1680 (<math>\approx 1675</math>) OUR ESTIMATE</b>			
$1669 \pm 2$	<sup>1</sup> HUNT	19	DPWA Multichannel
$1663 \pm 4$	SOKHOYAN	15A	DPWA Multichannel
$1666 \pm 2$	<sup>1</sup> SHKLYAR	13	DPWA Multichannel
$1674.1 \pm 0.2$	<sup>1</sup> ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
$1675 \pm 10$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
$1679 \pm 8$	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$1664 \pm 5$	ANISOVICH	12A	DPWA Multichannel
$1679 \pm 1$	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
$1679 \pm 9$	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
$1685 \pm 4$	VRANA	00	DPWA Multichannel

<sup>1</sup>Statistical error only. **$N(1675)$  BREIT-WIGNER WIDTH**

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>130 to 160 (<math>\approx 145</math>) OUR ESTIMATE</b>			
$161 \pm 8$	<sup>1</sup> HUNT	19	DPWA Multichannel
$146 \pm 6$	SOKHOYAN	15A	DPWA Multichannel
$148 \pm 1$	<sup>1</sup> SHKLYAR	13	DPWA Multichannel
$146.5 \pm 1.0$	<sup>1</sup> ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
$160 \pm 20$	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
$120 \pm 15$	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
$152 \pm 7$	ANISOVICH	12A	DPWA Multichannel
$145 \pm 4$	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
$152 \pm 8$	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
$131 \pm 10$	VRANA	00	DPWA Multichannel

<sup>1</sup>Statistical error only.

**$N(1675)$  DECAY MODES**

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $N\pi$	38–42 %
$\Gamma_2$ $N\eta$	< 1 %
$\Gamma_3$ $\Lambda K$	<0.04 %
$\Gamma_4$ $N\pi\pi$	25–45 %
$\Gamma_5$ $\Delta(1232)\pi$ , $D$ -wave	23–37 %
$\Gamma_6$ $N\rho$	0.1–0.9 %
$\Gamma_7$ $N\rho$ , $S=1/2$	<0.2 %
$\Gamma_8$ $N\rho$ , $S=3/2$ , $D$ -wave	0.1–0.7 %
$\Gamma_9$ $N\sigma$	3–7 %
$\Gamma_{10}$ $p\gamma$	0–0.02 %
$\Gamma_{11}$ $p\gamma$ , helicity=1/2	0–0.01 %
$\Gamma_{12}$ $p\gamma$ , helicity=3/2	0–0.01 %
$\Gamma_{13}$ $n\gamma$	0–0.15 %
$\Gamma_{14}$ $n\gamma$ , helicity=1/2	0–0.05 %
$\Gamma_{15}$ $n\gamma$ , helicity=3/2	0–0.10 %

 **$N(1675)$  BRANCHING RATIOS**

$\Gamma(N\pi)/\Gamma_{\text{total}}$					$\Gamma_1/\Gamma$
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
<b>38 to 42 (<math>\approx 40</math>) OUR ESTIMATE</b>					
33 $\pm 1$	<sup>1</sup> HUNT	19	DPWA	Multichannel	
41 $\pm 2$	SOKHOYAN	15A	DPWA	Multichannel	
41 $\pm 1$	<sup>1</sup> SHKLYAR	13	DPWA	Multichannel	
39.3 $\pm 0.1$	<sup>1</sup> ARNDT	06	DPWA	$\pi N \rightarrow \pi N, \eta N$	
38 $\pm 5$	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$	
38 $\pm 3$	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
40 $\pm 3$	ANISOVICH	12A	DPWA	Multichannel	
38.6 $\pm 0.6$	<sup>1</sup> SHRESTHA	12A	DPWA	Multichannel	
35 $\pm 4$	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$	
35 $\pm 1$	VRANA	00	DPWA	Multichannel	

<sup>1</sup>Statistical error only.

$\Gamma(N\eta)/\Gamma_{\text{total}}$					$\Gamma_2/\Gamma$
VALUE (%)	DOCUMENT ID	TECN	COMMENT		
0.5 $\pm 0.5$	MUELLER	20	DPWA	Multichannel	
2.0 $\pm 0.3$	<sup>1</sup> HUNT	19	DPWA	Multichannel	
<1	SHKLYAR	13	DPWA	Multichannel	

• • • We do not use the following data for averages, fits, limits, etc. • • •

<1	<sup>1</sup> SHRESTHA	12A	DPWA	Multichannel
0.1±0.1	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$
3 ±3	THOMA	08	DPWA	Multichannel
0 ±1	VRANA	00	DPWA	Multichannel

<sup>1</sup>Statistical error only.

### $\Gamma(\Lambda K)/\Gamma_{\text{total}}$ $\Gamma_3/\Gamma$

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
------------------	--------------------	-------------	----------------

**<0.04 % OUR ESTIMATE**

<0.04	<sup>1</sup> HUNT	19	DPWA	Multichannel
-------	-------------------	----	------	--------------

<sup>1</sup>Statistical error only.

### $\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$ $\Gamma_5/\Gamma$

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
------------------	--------------------	-------------	----------------

58.3±0.2	<sup>1</sup> HUNT	19	DPWA	Multichannel
----------	-------------------	----	------	--------------

30 ±7	SOKHOYAN	15A	DPWA	Multichannel
-------	----------	-----	------	--------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

33 ±8	ANISOVICH	12A	DPWA	Multichannel
-------	-----------	-----	------	--------------

46 ±1	<sup>1</sup> SHRESTHA	12A	DPWA	Multichannel
-------	-----------------------	-----	------	--------------

63 ±2	VRANA	00	DPWA	Multichannel
-------	-------	----	------	--------------

<sup>1</sup>Statistical error only.

### $\Gamma(N\rho, S=1/2)/\Gamma_{\text{total}}$ $\Gamma_7/\Gamma$

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
------------------	--------------------	-------------	----------------

**<0.2 % OUR ESTIMATE**

<0.2	<sup>1</sup> HUNT	19	DPWA	Multichannel
------	-------------------	----	------	--------------

<sup>1</sup>Statistical error only.

### $\Gamma(N\rho, S=3/2, D\text{-wave})/\Gamma_{\text{total}}$ $\Gamma_8/\Gamma$

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
------------------	--------------------	-------------	----------------

**0.1–0.7 % OUR ESTIMATE**

0.4±0.3	<sup>1</sup> HUNT	19	DPWA	Multichannel
---------	-------------------	----	------	--------------

<sup>1</sup>Statistical error only.

### $\Gamma(N\sigma)/\Gamma_{\text{total}}$ $\Gamma_9/\Gamma$

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
------------------	--------------------	-------------	----------------

5±2	SOKHOYAN	15A	DPWA	Multichannel
-----	----------	-----	------	--------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

7±3	ANISOVICH	12A	DPWA	Multichannel
-----	-----------	-----	------	--------------

## **$N(1675)$ PHOTON DECAY AMPLITUDES AT THE POLE**

### **$N(1675) \rightarrow p\gamma$ , helicity-1/2 amplitude $A_{1/2}$**

<u>MODULUS (<math>\text{GeV}^{-1/2}</math>)</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
---	------------------------------------	--------------------	-------------	----------------

0.025±0.002	−1.2 ± 3.9	ROENCHEN	22	DPWA Multichannel
-------------	------------	----------	----	-------------------

0.022±0.003	−12 ± 7	SOKHOYAN	15A	DPWA Multichannel
-------------	---------	----------	-----	-------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.032	36	ROENCHEN	15A	DPWA Multichannel
-------	----	----------	-----	-------------------

**$N(1675) \rightarrow p\gamma$ , helicity-3/2 amplitude  $A_{3/2}$** 

<u>MODULUS (<math>\text{GeV}^{-1/2}</math>)</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$0.051 \pm 0.002$	$-1.0 \pm 1.9$	ROENCHEN	22	DPWA Multichannel
$0.028 \pm 0.006$	$-17 \pm 6$	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.051	-9.3	ROENCHEN	15A	DPWA Multichannel

 **$N(1675) \rightarrow n\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

<u>MODULUS (<math>\text{GeV}^{-1/2}</math>)</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$-0.053 \pm 0.004$	$-3 \pm 5$	ANISOVICH	17E	DPWA Multichannel

 **$N(1675) \rightarrow n\gamma$ , helicity-3/2 amplitude  $A_{3/2}$** 

<u>MODULUS (<math>\text{GeV}^{-1/2}</math>)</u>	<u>PHASE (<math>^\circ</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
$-0.073 \pm 0.005$	$-12 \pm 5$	ANISOVICH	17E	DPWA Multichannel

 **$N(1675)$  BREIT-WIGNER PHOTON DECAY AMPLITUDES** **$N(1675) \rightarrow p\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

<u>VALUE (<math>\text{GeV}^{-1/2}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.010 to 0.025 (<math>\approx 0.018</math>) OUR ESTIMATE</b>			
$0.026 \pm 0.002$	<sup>1</sup> HUNT	19	DPWA Multichannel
$0.022 \pm 0.003$	SOKHOYAN	15A	DPWA Multichannel
$0.009 \pm 0.001$	<sup>1</sup> SHKLYAR	13	DPWA Multichannel
$0.013 \pm 0.001$	<sup>1</sup> WORKMAN	12A	DPWA $\gamma N \rightarrow N\pi$
$0.018 \pm 0.002$	<sup>1</sup> DUGGER	07	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$0.024 \pm 0.003$	ANISOVICH	12A	DPWA Multichannel
$0.011 \pm 0.001$	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
0.015	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$

<sup>1</sup>Statistical error only. **$N(1675) \rightarrow p\gamma$ , helicity-3/2 amplitude  $A_{3/2}$** 

<u>VALUE (<math>\text{GeV}^{-1/2}</math>)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>0.015 to 0.030 (<math>\approx 0.022</math>) OUR ESTIMATE</b>			
$0.005 \pm 0.002$	<sup>1</sup> HUNT	19	DPWA Multichannel
$0.027 \pm 0.006$	SOKHOYAN	15A	DPWA Multichannel
$0.021 \pm 0.001$	<sup>1</sup> SHKLYAR	13	DPWA Multichannel
$0.016 \pm 0.001$	<sup>1</sup> WORKMAN	12A	DPWA $\gamma N \rightarrow N\pi$
$0.021 \pm 0.001$	<sup>1</sup> DUGGER	07	DPWA $\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$0.025 \pm 0.007$	ANISOVICH	12A	DPWA Multichannel
$0.020 \pm 0.001$	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
0.022	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$

<sup>1</sup>Statistical error only.

**$N(1675) \rightarrow n\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

VALUE (GeV <sup>-1/2</sup> )	DOCUMENT ID	TECN	COMMENT
<b>–0.065 to –0.055 (≈ –0.060) OUR ESTIMATE</b>			
–0.069±0.005	<sup>1</sup> HUNT	19	DPWA Multichannel
–0.053±0.004	ANISOVICH	17E	DPWA Multichannel
–0.058±0.002	<sup>1</sup> CHEN	12A	DPWA $\gamma N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
–0.060±0.007	ANISOVICH	13B	DPWA Multichannel
–0.040±0.004	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
–0.062	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$

<sup>1</sup>Statistical error only. **$N(1675) \rightarrow n\gamma$ , helicity-3/2 amplitude  $A_{3/2}$** 

VALUE (GeV <sup>-1/2</sup> )	DOCUMENT ID	TECN	COMMENT
<b>–0.095 to –0.075 (≈ –0.085) OUR ESTIMATE</b>			
–0.031±0.005	<sup>1</sup> HUNT	19	DPWA Multichannel
–0.072±0.005	ANISOVICH	17E	DPWA Multichannel
–0.080±0.005	<sup>1</sup> CHEN	12A	DPWA $\gamma N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
–0.088±0.010	ANISOVICH	13B	DPWA Multichannel
–0.068±0.004	<sup>1</sup> SHRESTHA	12A	DPWA Multichannel
–0.084	DRECHSEL	07	DPWA $\gamma N \rightarrow \pi N$

<sup>1</sup>Statistical error only. **$N(1675)$  REFERENCES**For early references, see Physics Letters **111B** 1 (1982).

ROENCHEN	22	EPJ A58 229	D. Roenchen <i>et al.</i>	(JULI, GWU, BONN+)
MUELLER	20	PL B803 135323	J. Mueller <i>et al.</i>	(CBELSA/TAPS Collab.)
HUNT	19	PR C99 055205	B.C. Hunt, D.M. Manley	
ANISOVICH	17E	PR C96 055202	A.V. Anisovich <i>et al.</i>	(BONN, PNPI, JLAB+)
ROENCHEN	15A	EPJ A51 70	D. Roenchen <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
SHKLYAR	13	PR C87 015201	V. Shklyar, H. Lenske, U. Mosel	(GIES)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
CHEN	12A	PR C86 015206	W. Chen <i>et al.</i>	(DUKE, GWU, MSST, ITEP+)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
WORKMAN	12A	PR C86 015202	R. Workman <i>et al.</i>	(GWU)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
THOMA	08	PL B659 87	U. Thoma <i>et al.</i>	(CB-ELSA Collab.)
DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator	(MAINZ, JINR)
DUGGER	07	PR C76 025211	M. Dugger <i>et al.</i>	(JLab CLAS Collab.)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	$\pi N$ Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP