

$N(2120)$ $3/2^-$ $I(J^P) = \frac{1}{2}(\frac{3}{2}^-)$ Status: ***

Before the 2012 Review, all the evidence for a $J^P = 3/2^-$ state with a mass above 1800 MeV was filed under a two-star $N(2080)$.

There is now evidence from ANISOVICH 12A for two $3/2^-$ states in this region, so we have split the older data (according to mass) between a three-star $N(1875)$ and a two-star $N(2120)$.

 $N(2120)$ POLE POSITION**REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2050 to 2150 (≈ 2100) OUR ESTIMATE			
2115 \pm 40	SOKHOYAN	15A	DPWA Multichannel
2094 \pm 7 \pm 11	SVARC	14	L+P $\pi N \rightarrow \pi N$
2050 \pm 70	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$ (higher m)
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2357	HUNT	19	DPWA Multichannel
2115 \pm 40	GUTZ	14	DPWA Multichannel
2110 \pm 50	ANISOVICH	12A	DPWA Multichannel

 $-2 \times$ IMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
200 to 360 (≈ 280) OUR ESTIMATE			
345 \pm 35	SOKHOYAN	15A	DPWA Multichannel
296 \pm 15 \pm 4	SVARC	14	L+P $\pi N \rightarrow \pi N$
200 \pm 80	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$ (higher m)
• • • We do not use the following data for averages, fits, limits, etc. • • •			
503	HUNT	19	DPWA Multichannel
345 \pm 35	GUTZ	14	DPWA Multichannel
340 \pm 45	ANISOVICH	12A	DPWA Multichannel

 $N(2120)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
10 to 30 (≈ 20) OUR ESTIMATE			
11 \pm 6	SOKHOYAN	15A	DPWA Multichannel
13 \pm 1 \pm 1	SVARC	14	L+P $\pi N \rightarrow \pi N$
30 \pm 20	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$ (higher m)
• • • We do not use the following data for averages, fits, limits, etc. • • •			
11 \pm 6	GUTZ	14	DPWA Multichannel
13 \pm 3	ANISOVICH	12A	DPWA Multichannel

PHASE θ

VALUE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
-40 to 20 (≈ -10) OUR ESTIMATE			
-30 \pm 20	SOKHOYAN	15A	DPWA Multichannel
-2 \pm 4 \pm 9	SVARC	14	L+P $\pi N \rightarrow \pi N$
0 \pm 100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$ (higher m)
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-30 \pm 20	GUTZ	14	DPWA Multichannel
-20 \pm 10	ANISOVICH	12A	DPWA Multichannel

N(2120) INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(2120) \rightarrow \Lambda K$

MODULUS	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
0.03 \pm 0.01	100 \pm 30	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2120) \rightarrow \Sigma K$

MODULUS	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
0.02 \pm 0.015	-50 \pm 40	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2120) \rightarrow N(1535)\pi$

MODULUS	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
0.15 \pm 0.08	-90 \pm 40	GUTZ	14	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2120) \rightarrow \Delta(1232)\pi$, S-wave

MODULUS	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
0.25 \pm 0.10	undefined	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2120) \rightarrow \Delta(1232)\pi$, D-wave

MODULUS	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
0.15 \pm 0.06	-35 \pm 30	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2120) \rightarrow N\sigma$

MODULUS	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
0.09 \pm 0.05	-80 \pm 50	SOKHOYAN	15A	DPWA Multichannel

N(2120) BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2060 to 2160 (≈ 2120) OUR ESTIMATE			
2353 \pm 29	¹ HUNT	19	DPWA Multichannel
2120 \pm 45	SOKHOYAN	15A	DPWA Multichannel
2060 \pm 80	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
2081 \pm 20	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2120 \pm 35	GUTZ	14	DPWA Multichannel
2150 \pm 60	ANISOVICH	12A	DPWA Multichannel

¹ Statistical error only.

N(2120) BREIT-WIGNER WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
260 to 360 (≈ 300) OUR ESTIMATE			
503 \pm 62	¹ HUNT	19	DPWA Multichannel
340 \pm 35	SOKHOYAN	15A	DPWA Multichannel
300 \pm 100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$ (higher m)
265 \pm 40	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
340 \pm 35	GUTZ	14	DPWA Multichannel
330 \pm 45	ANISOVICH	12A	DPWA Multichannel

¹ Statistical error only.

N(2120) DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 N\pi$	5–15 %
$\Gamma_2 N\eta$	1–5 %
$\Gamma_3 N\eta'$	2–6 %
$\Gamma_4 N\omega$	4–20 %
$\Gamma_5 \Lambda K$	6–11 %
$\Gamma_6 N\pi\pi$	>27 %
$\Gamma_7 \Delta(1232)\pi$	>23 %
$\Gamma_8 \Delta(1232)\pi$, S-wave	15–70 %
$\Gamma_9 \Delta(1232)\pi$, D-wave	8–45 %
$\Gamma_{10} N\rho$, $S=3/2$, S-wave	< 3 %
$\Gamma_{11} N\sigma$	4–15 %
$\Gamma_{12} N(1535)\pi$	7–23 %
$\Gamma_{13} \Lambda K^*(892)$	< 0.2 %
$\Gamma_{14} p\gamma$	0.16–2.1 %
$\Gamma_{15} p\gamma$, helicity=1/2	0.07–0.80 %
$\Gamma_{16} p\gamma$, helicity=3/2	0.09–1.3 %
$\Gamma_{17} n\gamma$	0.04–0.72 %
$\Gamma_{18} n\gamma$, helicity=1/2	0.04–0.60 %
$\Gamma_{19} n\gamma$, helicity=3/2	0.001–0.12 %

N(2120) BRANCHING RATIOS

<u>$\Gamma(N\pi)/\Gamma_{\text{total}}$</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	<u>Γ_1/Γ</u>
5–15 % OUR ESTIMATE				
19 \pm 2	¹ HUNT	19	DPWA Multichannel	
5 \pm 3	SOKHOYAN	15A	DPWA Multichannel	
14 \pm 7	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$ (higher m)	
6 \pm 2	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$	

• • • We do not use the following data for averages, fits, limits, etc. • • •

5 ± 3	GUTZ	14	DPWA	Multichannel
6 ± 2	ANISOVICH	12A	DPWA	Multichannel

¹ Statistical error only.

$\Gamma(N\eta)/\Gamma_{\text{total}}$

VALUE (%)

1-5 % OUR ESTIMATE

<1

3.1 ± 2.4

¹ Statistical error only.

$\Gamma(N\eta')/\Gamma_{\text{total}}$

VALUE (%)

2-6 % OUR ESTIMATE

4 ± 2

$\Gamma(N\omega)/\Gamma_{\text{total}}$

VALUE (%)

4-20 % OUR ESTIMATE

12 ± 8

$\Gamma(\Lambda K)/\Gamma_{\text{total}}$

VALUE (%)

6-11 % OUR ESTIMATE

8.5 ± 2.5

¹ Statistical error only.

$\Gamma(\Delta(1232)\pi, S\text{-wave})/\Gamma_{\text{total}}$

VALUE (%)

15-70 % OUR ESTIMATE

25 ± 11

50 ± 20

¹ Statistical error only.

$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$

VALUE (%)

8-45 % OUR ESTIMATE

34 ± 11

20 ± 12

¹ Statistical error only.

$\Gamma(N\rho, S=3/2, S\text{-wave})/\Gamma_{\text{total}}$

VALUE (%)

< 3 % OUR ESTIMATE

<3

¹ Statistical error only.

Γ_2/Γ

DOCUMENT ID	TECN	COMMENT
-------------	------	---------

MUELLER	20	DPWA Multichannel
¹ HUNT	19	DPWA Multichannel

Γ_3/Γ

DOCUMENT ID	TECN	COMMENT
-------------	------	---------

ANISOVICH	17C	DPWA Multichannel
-----------	-----	-------------------

Γ_4/Γ

DOCUMENT ID	TECN	COMMENT
-------------	------	---------

DENISENKO	16	DPWA Multichannel
-----------	----	-------------------

Γ_5/Γ

DOCUMENT ID	TECN	COMMENT
-------------	------	---------

¹ HUNT	19	DPWA Multichannel
-------------------	----	-------------------

Γ_8/Γ

DOCUMENT ID	TECN	COMMENT
-------------	------	---------

¹ HUNT	19	DPWA Multichannel
SOKHOYAN	15A	DPWA Multichannel

Γ_9/Γ

DOCUMENT ID	TECN	COMMENT
-------------	------	---------

¹ HUNT	19	DPWA Multichannel
SOKHOYAN	15A	DPWA Multichannel

Γ_{10}/Γ

DOCUMENT ID	TECN	COMMENT
-------------	------	---------

¹ HUNT	19	DPWA Multichannel
-------------------	----	-------------------

$\Gamma(N\sigma)/\Gamma_{\text{total}}$

VALUE (%)

4-15 % OUR ESTIMATE 9 ± 5 11 ± 4 ¹ Statistical error only. $\Gamma(N(1535)\pi)/\Gamma_{\text{total}}$

VALUE (%)

7-23 % OUR ESTIMATE 15 ± 8 $\Gamma(\Lambda K^*(892))/\Gamma_{\text{total}}$

VALUE (%)

< 0.2 % OUR ESTIMATE < 0.2 Γ_{11}/Γ

DOCUMENT ID TECN COMMENT

¹ HUNT	19	DPWA	Multichannel
SOKHOYAN	15A	DPWA	Multichannel

 Γ_{12}/Γ

DOCUMENT ID TECN COMMENT

GUTZ	14	DPWA	Multichannel
------	----	------	--------------

 Γ_{13}/Γ

DOCUMENT ID TECN COMMENT

ANISOVICH	17B	DPWA	Multichannel
-----------	-----	------	--------------

N(2120) PHOTON DECAY AMPLITUDES AT THE POLE **$N(2120) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$**

MODULUS ($\text{GeV}^{-1/2}$)	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.130 ± 0.045	-40 ± 25	SOKHOYAN	15A	DPWA Multichannel

 $N(2120) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

MODULUS ($\text{GeV}^{-1/2}$)	PHASE (°)	DOCUMENT ID	TECN	COMMENT
0.160 ± 0.060	-30 ± 15	SOKHOYAN	15A	DPWA Multichannel

N(2120) BREIT-WIGNER PHOTON DECAY AMPLITUDES **$N(2120) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$**

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.047 ± 0.009	¹ HUNT	19	DPWA Multichannel
0.130 ± 0.050	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.130 ± 0.050	GUTZ	14	DPWA Multichannel

¹ Statistical error only. **$N(2120) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$**

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.001 ± 0.007	¹ HUNT	19	DPWA Multichannel
0.160 ± 0.065	SOKHOYAN	15A	DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.160 ± 0.065	GUTZ	14	DPWA Multichannel

¹ Statistical error only.

$N(2120) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.020 ± 0.013	1 HUNT	19	DPWA Multichannel
0.110 ± 0.045	ANISOVICH	13B	DPWA Multichannel

¹ Statistical error only.

$N(2120) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.00 ± 0.02	1 HUNT	19	DPWA Multichannel
0.040 ± 0.030	ANISOVICH	13B	DPWA Multichannel

¹ Statistical error only.

$N(2120)$ REFERENCES

MUELLER	20	PL B803 135323	J. Mueller <i>et al.</i>	(CBELSA/TAPS Collab.)
HUNT	19	PR C99 055205	B.C. Hunt, D.M. Manley	
ANISOVICH	17B	PL B771 142	A.V. Anisovich <i>et al.</i>	
ANISOVICH	17C	PL B772 247	A.V. Anisovich <i>et al.</i>	
DENISENKO	16	PL B755 97	I. Denisenko <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
GUTZ	14	EPJ A50 74	E. Gutz <i>et al.</i>	(CBELSA/TAPS Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL)
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT)