

N(1720) 3/2⁺ $I(J^P) = \frac{1}{2}(\frac{3}{2}^+)$ Status: ***

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

N(1720) POLE POSITION**REAL PART**

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|---|--------------------|------|--|
| 1660 to 1710 (\approx 1680) OUR ESTIMATE | | | |
| 1726 \pm 4 | ROENCHEN | 22 | DPWA Multichannel |
| 1670 \pm 25 | SOKHOYAN | 15A | DPWA Multichannel |
| 1677 \pm 4 \pm 1 | ¹ SVARC | 14 | L+P $\pi N \rightarrow \pi N$ |
| 1680 \pm 30 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 1654 | HUNT | 19 | DPWA Multichannel |
| 1710 | ROENCHEN | 15A | DPWA Multichannel |
| 1670 | SHKLYAR | 13 | DPWA Multichannel |
| 1660 \pm 30 | ANISOVICH | 12A | DPWA Multichannel |
| 1691 \pm 23 | BATINIC | 10 | DPWA $\pi N \rightarrow N\pi, N\eta$ |
| 1666 | ARNDT | 06 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| 1692 | VRANA | 00 | DPWA Multichannel |
| 1686 | HOEHLER | 93 | SPED $\pi N \rightarrow \pi N$ |

¹ Fit to the amplitudes of HOEHLER 79.

-2xIMAGINARY PART

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|---|--------------------|------|--|
| 150 to 300 (\approx 200) OUR ESTIMATE | | | |
| 185 \pm 6 | ROENCHEN | 22 | DPWA Multichannel |
| 430 \pm 100 | SOKHOYAN | 15A | DPWA Multichannel |
| 184 \pm 8 \pm 1 | ¹ SVARC | 14 | L+P $\pi N \rightarrow \pi N$ |
| 120 \pm 40 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 100 | HUNT | 19 | DPWA Multichannel |
| 219 | ROENCHEN | 15A | DPWA Multichannel |
| 118 | SHKLYAR | 13 | DPWA Multichannel |
| 450 \pm 100 | ANISOVICH | 12A | DPWA Multichannel |
| 233 \pm 23 | BATINIC | 10 | DPWA $\pi N \rightarrow N\pi, N\eta$ |
| 355 | ARNDT | 06 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| 94 | VRANA | 00 | DPWA Multichannel |
| 187 | HOEHLER | 93 | SPED $\pi N \rightarrow \pi N$ |

¹ Fit to the amplitudes of HOEHLER 79.

N(1720) ELASTIC POLE RESIDUE

MODULUS $|r|$

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|---|--------------------|------|--|
| 10 to 25 (≈ 15) OUR ESTIMATE | | | |
| 15 \pm 1 | ROENCHEN | 22 | DPWA Multichannel |
| 26 \pm 10 | SOKHOYAN | 15A | DPWA Multichannel |
| 13 \pm 1 | ¹ SVARC | 14 | L+P $\pi N \rightarrow \pi N$ |
| 8 \pm 2 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 4.2 | ROENCHEN | 15A | DPWA Multichannel |
| 12 | SHKLYAR | 13 | DPWA Multichannel |
| 22 \pm 8 | ANISOVICH | 12A | DPWA Multichannel |
| 20 | BATINIC | 10 | DPWA $\pi N \rightarrow N\pi, N\eta$ |
| 25 | ARNDT | 06 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| 15 | HOEHLER | 93 | SPED $\pi N \rightarrow \pi N$ |

¹ Fit to the amplitudes of HOEHLER 79.

PHASE θ

| VALUE ($^{\circ}$) | DOCUMENT ID | TECN | COMMENT |
|---|--------------------|------|--|
| -160 to -60 (≈ -110) OUR ESTIMATE | | | |
| - 60 \pm 3 | ROENCHEN | 22 | DPWA Multichannel |
| - 100 \pm 25 | SOKHOYAN | 15A | DPWA Multichannel |
| - 115 \pm 3 \pm 2 | ¹ SVARC | 14 | L+P $\pi N \rightarrow \pi N$ |
| - 160 \pm 30 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| - 47 | ROENCHEN | 15A | DPWA Multichannel |
| - 45 | SHKLYAR | 13 | DPWA Multichannel |
| - 115 \pm 30 | ANISOVICH | 12A | DPWA Multichannel |
| - 109 | BATINIC | 10 | DPWA $\pi N \rightarrow N\pi, N\eta$ |
| - 94 | ARNDT | 06 | DPWA $\pi N \rightarrow \pi N, \eta N$ |

¹ Fit to the amplitudes of HOEHLER 79.

N(1720) INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(1720) \rightarrow N\eta$

| MODULUS | PHASE ($^{\circ}$) | DOCUMENT ID | TECN | COMMENT |
|---|----------------------|-------------|------|-------------------|
| 0.049 \pm 0.005 | 64 \pm 5 | ROENCHEN | 22 | DPWA Multichannel |
| 0.03 \pm 0.02 | | ANISOVICH | 12A | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 0.007 | 106 | ROENCHEN | 15A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1720) \rightarrow \Lambda K$

| MODULUS | PHASE ($^{\circ}$) | DOCUMENT ID | TECN | COMMENT |
|---|----------------------|-------------|------|-------------------|
| 0.034 \pm 0.002 | - 101 \pm 4 | ROENCHEN | 22 | DPWA Multichannel |
| 0.06 \pm 0.04 | - 150 \pm 45 | ANISOVICH | 12A | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 0.011 | - 70 | ROENCHEN | 15A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1720) \rightarrow \Sigma K$

| <u>MODULUS</u> | <u>PHASE (°)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|------------------|--------------------|-------------|-------------------|
| 0.059±0.005 | 82 ± 3 | ROENCHEN | 22 | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 0.002 | 79 | ROENCHEN | 15A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1720) \rightarrow \Delta\pi, P\text{-wave}$

| <u>MODULUS</u> | <u>PHASE (°)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|------------------|--------------------|-------------|-------------------|
| 0.28±0.09 | 95 ± 30 | SOKHOYAN | 15A | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 0.29±0.08 | 80 ± 40 | ANISOVICH | 12A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1720) \rightarrow \Delta\pi, F\text{-wave}$

| <u>MODULUS</u> | <u>PHASE (°)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|------------------|--------------------|-------------|-------------------|
| 0.07±0.05 | | SOKHOYAN | 15A | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 0.03±0.03 | | ANISOVICH | 12A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1720) \rightarrow N\sigma$

| <u>MODULUS</u> | <u>PHASE (°)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|----------------|------------------|--------------------|-------------|-------------------|
| 0.08±0.04 | -110 ± 35 | SOKHOYAN | 15A | DPWA Multichannel |

Normalized residue in $N\pi \rightarrow N(1720) \rightarrow N(1520)\pi, S\text{-wave}$

| <u>MODULUS</u> | <u>PHASE (°)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|----------------|------------------|--------------------|-------------|-------------------|
| 0.05±0.04 | undefined | SOKHOYAN | 15A | DPWA Multichannel |

$N(1720)$ BREIT-WIGNER MASS

| <u>VALUE (MeV)</u> | | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|---|--------------|-----------------------|-------------|---|
| 1680 to 1750 (≈ 1720) OUR ESTIMATE | | | | |
| 1745 | ± 6 | GOLOVATCH | 19 | DPWA $\gamma p \rightarrow \pi^+ \pi^- p$ |
| 1711 | ± 4 | ¹ HUNT | 19 | DPWA Multichannel |
| 1690 | ± 30 | SOKHOYAN | 15A | DPWA Multichannel |
| 1700 | ± 10 | ¹ SHKLYAR | 13 | DPWA Multichannel |
| 1763.8± 4.6 | | ARNDT | 06 | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| 1700 | ± 50 | CUTKOSKY | 80 | IPWA $\pi N \rightarrow \pi N$ |
| 1710 | ± 20 | HOEHLER | 79 | IPWA $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 1748 | ± 5 | ² MOKEEV | 20 | DPWA $\gamma p \rightarrow \pi^+ \pi^- p$ |
| 1725 | ± 10 | ³ MOKEEV | 20 | DPWA $\gamma p \rightarrow \pi^+ \pi^- p$ |
| 1690 | + 70 - 35 | ANISOVICH | 12A | DPWA Multichannel |
| 1720 | ± 5 | ¹ SHRESTHA | 12A | DPWA Multichannel |
| 1720 | ± 18 | BATINIC | 10 | DPWA $\pi N \rightarrow N\pi, N\eta$ |
| 1705 | ± 10 | PENNER | 02c | DPWA Multichannel |
| 1716 | ± 112 | VRANA | 00 | DPWA Multichannel |

¹ Statistical error only.

² State a) of two states seen by the CLAS collaboration.

³ State b) of two states seen by the CLAS collaboration.

N(1720) BREIT-WIGNER WIDTH

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|--|---------------------------|------|--------------------------------------|
| 150 to 400 (≈ 250) OUR ESTIMATE | | | |
| 116 \pm 27 | GOLOVATCH 19 | DPWA | $\gamma p \rightarrow \pi^+ \pi^- p$ |
| 229 \pm 22 | ¹ HUNT 19 | DPWA | Multichannel |
| 420 \pm 80 | SOKHOYAN 15A | DPWA | Multichannel |
| 152 \pm 2 | ¹ SHKLYAR 13 | DPWA | Multichannel |
| 210 \pm 22 | ARNNDT 06 | DPWA | $\pi N \rightarrow \pi N, \eta N$ |
| 125 \pm 70 | CUTKOSKY 80 | IPWA | $\pi N \rightarrow \pi N$ |
| 190 \pm 30 | HOEHLER 79 | IPWA | $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 114 \pm 6 | ² MOKEEV 20 | DPWA | $\gamma p \rightarrow \pi^+ \pi^- p$ |
| 120 \pm 6 | ³ MOKEEV 20 | DPWA | $\gamma p \rightarrow \pi^+ \pi^- p$ |
| 420 \pm 100 | ANISOVICH 12A | DPWA | Multichannel |
| 200 \pm 20 | ¹ SHRESTHA 12A | DPWA | Multichannel |
| 244 \pm 28 | BATINIC 10 | DPWA | $\pi N \rightarrow N\pi, N\eta$ |
| 237 \pm 73 | PENNER 02C | DPWA | Multichannel |
| 121 \pm 39 | VRANA 00 | DPWA | Multichannel |

¹ Statistical error only.

² State a) of two states seen by the CLAS collaboration.

³ State b) of two states seen by the CLAS collaboration.

N(1720) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

| Mode | Fraction (Γ_i/Γ) |
|---|--------------------------------|
| $\Gamma_1 N\pi$ | 8–14 % |
| $\Gamma_2 N\eta$ | 1–5 % |
| $\Gamma_3 N\omega$ | 12–40 % |
| $\Gamma_4 \Lambda K$ | 4–19 % |
| $\Gamma_5 N\pi\pi$ | >50 % |
| $\Gamma_6 \Delta(1232)\pi$ | 47–89 % |
| $\Gamma_7 \Delta(1232)\pi, P\text{-wave}$ | 47–77 % |
| $\Gamma_8 \Delta(1232)\pi, F\text{-wave}$ | <12 % |
| $\Gamma_9 N\rho$ | |
| $\Gamma_{10} N\rho, S=1/2, P\text{-wave}$ | 1–2 % |
| $\Gamma_{11} N\sigma$ | 2–14 % |
| $\Gamma_{12} N(1440)\pi$ | <2 % |
| $\Gamma_{13} N(1520)\pi, S\text{-wave}$ | 1–5 % |
| $\Gamma_{14} p\gamma$ | 0.05–0.25 % |
| $\Gamma_{15} p\gamma, \text{ helicity}=1/2$ | 0.05–0.15 % |

| | | |
|---------------|--------------------------|--------------|
| Γ_{16} | $p\gamma$, helicity=3/2 | 0.002–0.16 % |
| Γ_{17} | $n\gamma$ | 0.0–0.016 % |
| Γ_{18} | $n\gamma$, helicity=1/2 | 0.0–0.01 % |
| Γ_{19} | $n\gamma$, helicity=3/2 | 0.0–0.015 % |

$N(1720)$ BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$

Γ_1/Γ

| VALUE (%) | | DOCUMENT ID | TECN | COMMENT |
|---|-----------------------|-------------|------|-----------------------------------|
| 8 to 14 (≈ 11) OUR ESTIMATE | | | | |
| 18 ± 2 | ¹ HUNT | 19 | DPWA | Multichannel |
| 11 ± 4 | SOKHOYAN | 15A | DPWA | Multichannel |
| 17 ± 2 | ¹ SHKLYAR | 13 | DPWA | Multichannel |
| 9.4 ± 0.5 | ARNDT | 06 | DPWA | $\pi N \rightarrow \pi N, \eta N$ |
| 10 ± 4 | CUTKOSKY | 80 | IPWA | $\pi N \rightarrow \pi N$ |
| 14 ± 3 | HOEHLER | 79 | IPWA | $\pi N \rightarrow \pi N$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 10 ± 5 | ANISOVICH | 12A | DPWA | Multichannel |
| 13.6 ± 0.6 | ¹ SHRESTHA | 12A | DPWA | Multichannel |
| 18 ± 3 | BATINIC | 10 | DPWA | $\pi N \rightarrow N\pi, N\eta$ |
| 17 ± 2 | PENNER | 02C | DPWA | Multichannel |
| 5 ± 5 | VRANA | 00 | DPWA | Multichannel |

¹ Statistical error only.

$\Gamma(N\eta)/\Gamma_{\text{total}}$

Γ_2/Γ

| VALUE (%) | | DOCUMENT ID | TECN | COMMENT |
|---|-----------------------|-------------|------|---------------------------------|
| 1 to 5 (≈ 3) OUR ESTIMATE | | | | |
| 3 ± 2 | MUELLER | 20 | DPWA | Multichannel |
| 3.8 ± 0.5 | ¹ HUNT | 19 | DPWA | Multichannel |
| < 1 | SHKLYAR | 13 | DPWA | Multichannel |
| 3 ± 2 | ANISOVICH | 12A | DPWA | Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| < 1 | ¹ SHRESTHA | 12A | DPWA | Multichannel |
| 0 ± 1 | BATINIC | 10 | DPWA | $\pi N \rightarrow N\pi, N\eta$ |
| 10 ± 7 | THOMA | 08 | DPWA | Multichannel |
| 0.2 ± 0.2 | PENNER | 02C | DPWA | Multichannel |
| 4 ± 1 | VRANA | 00 | DPWA | Multichannel |

¹ Statistical error only.

$\Gamma(N\omega)/\Gamma_{\text{total}}$

Γ_3/Γ

| VALUE (%) | | DOCUMENT ID | TECN | COMMENT |
|-------------|-----------|-------------|------|--------------|
| 26 ± 14 | DENISENKO | 16 | DPWA | Multichannel |

$\Gamma(\Lambda K)/\Gamma_{\text{total}}$

Γ_4/Γ

| VALUE (%) | | DOCUMENT ID | TECN | COMMENT |
|----------------------------|-------------------|-------------|------|--------------|
| 4–19 % OUR ESTIMATE | | | | |
| 16 ± 3 | ¹ HUNT | 19 | DPWA | Multichannel |
| 4.3 ± 0.4 | SHKLYAR | 05 | DPWA | Multichannel |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | |
|---------------|-----------------------|-----|------|--------------|
| 2.8 ± 0.4 | ¹ SHRESTHA | 12A | DPWA | Multichannel |
| 12 ± 9 | THOMA | 08 | DPWA | Multichannel |
| 9 ± 3 | PENNER | 02C | DPWA | Multichannel |

¹ Statistical error only.

$\Gamma(N\pi\pi)/\Gamma_{\text{total}}$

| VALUE (%) | DOCUMENT ID | TECN | COMMENT | Γ_5/Γ |
|------------------------------|-------------|------|---|-------------------|
| >50 % OUR ESTIMATE | | | | |
| 84 ± 16 | GOLOVATCH | 19 | DPWA $\gamma p \rightarrow \pi^+ \pi^- p$ | |

$\Gamma(\Delta(1232)\pi)/\Gamma_{\text{total}}$

| VALUE (%) | DOCUMENT ID | TECN | COMMENT | Γ_6/Γ |
|--|-------------|------|---------|-------------------|
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |

| | | | | |
|------------|---------------------|----|------|--------------------------------------|
| 45 ± 8 | ¹ MOKEEV | 20 | DPWA | $\gamma p \rightarrow \pi^+ \pi^- p$ |
| 54 ± 8 | ² MOKEEV | 20 | DPWA | $\gamma p \rightarrow \pi^+ \pi^- p$ |

¹ State a) of two states seen by the CLAS collaboration.

² State b) of two states seen by the CLAS collaboration.

$\Gamma(\Delta(1232)\pi, P\text{-wave})/\Gamma_{\text{total}}$

| VALUE (%) | DOCUMENT ID | TECN | COMMENT | Γ_7/Γ |
|--|-------------|------|---------|-------------------|
| 62 ± 15 | SOKHOYAN | 15A | DPWA | Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 75 ± 15 | ANISOVICH | 12A | DPWA | Multichannel |

$\Gamma(\Delta(1232)\pi, F\text{-wave})/\Gamma_{\text{total}}$

| VALUE (%) | DOCUMENT ID | TECN | COMMENT | Γ_8/Γ |
|-----------|-------------|------|---------|-------------------|
| 6 ± 6 | SOKHOYAN | 15A | DPWA | Multichannel |

$\Gamma(N\rho)/\Gamma_{\text{total}}$

| VALUE (%) | DOCUMENT ID | TECN | COMMENT | Γ_9/Γ |
|--|---------------------|------|---------|--------------------------------------|
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 38 ± 8 | ¹ MOKEEV | 20 | DPWA | $\gamma p \rightarrow \pi^+ \pi^- p$ |
| 7 ± 3 | ² MOKEEV | 20 | DPWA | $\gamma p \rightarrow \pi^+ \pi^- p$ |

¹ State a) of two states seen by the CLAS collaboration.

² State b) of two states seen by the CLAS collaboration.

$\Gamma(N\rho, S=1/2, P\text{-wave})/\Gamma_{\text{total}}$

| VALUE (%) | DOCUMENT ID | TECN | COMMENT | Γ_{10}/Γ |
|--|-----------------------|------|---------|----------------------|
| 1.4 ± 0.5 | ¹ SHRESTHA | 12A | DPWA | Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 91 ± 1 | VRANA | 00 | DPWA | Multichannel |

¹ Statistical error only.

$\Gamma(N\sigma)/\Gamma_{\text{total}}$

| VALUE (%) | DOCUMENT ID | TECN | COMMENT | Γ_{11}/Γ |
|-----------|-------------|------|---------|----------------------|
| 8 ± 6 | SOKHOYAN | 15A | DPWA | Multichannel |

$\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$

| VALUE (%) | DOCUMENT ID | TECN | COMMENT | Γ_{12}/Γ |
|-----------|-------------|------|-------------------|----------------------|
| <2 | SOKHOYAN | 15A | DPWA Multichannel | |

$\Gamma(N(1520)\pi, S\text{-wave})/\Gamma_{\text{total}}$

| VALUE (%) | DOCUMENT ID | TECN | COMMENT | Γ_{13}/Γ |
|-----------|-------------|------|-------------------|----------------------|
| 3±2 | SOKHOYAN | 15A | DPWA Multichannel | |

$N(1720)$ PHOTON DECAY AMPLITUDES AT THE POLE

$N(1720) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

| MODULUS ($\text{GeV}^{-1/2}$) | PHASE (°) | DOCUMENT ID | TECN | COMMENT | Γ |
|---|-----------|-------------|------|-------------------|----------|
| 0.039±0.004 | 60 ± 5 | ROENCHEN | 22 | DPWA Multichannel | |
| 0.115±0.045 | 0 ± 35 | SOKHOYAN | 15A | DPWA Multichannel | |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | | |
| 0.039 | 5.3 | ROENCHEN | 15A | DPWA Multichannel | |

$N(1720) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

| MODULUS ($\text{GeV}^{-1/2}$) | PHASE (°) | DOCUMENT ID | TECN | COMMENT | Γ |
|---|-----------|-------------|------|-------------------|----------|
| -0.025±0.004 | -5.7 ± 7 | ROENCHEN | 22 | DPWA Multichannel | |
| 0.140±0.040 | 65 ± 35 | SOKHOYAN | 15A | DPWA Multichannel | |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | | |
| 0.032 | 66 | ROENCHEN | 15A | DPWA Multichannel | |

$N(1720)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES

$N(1720) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

| VALUE ($\text{GeV}^{-1/2}$) | DOCUMENT ID | TECN | COMMENT | |
|---|-----------------------|------|---|--|
| 0.080 to 0.120 (≈ 0.100) OUR ESTIMATE | | | | |
| 0.0809±0.0115 | GOLOVATCH | 19 | DPWA $\gamma p \rightarrow \pi^+ \pi^- p$ | |
| 0.068 ± 0.004 | ¹ HUNT | 19 | DPWA Multichannel | |
| 0.115 ± 0.045 | SOKHOYAN | 15A | DPWA Multichannel | |
| -0.065 ± 0.002 | ¹ SHKLYAR | 13 | DPWA Multichannel | |
| 0.095 ± 0.002 | WORKMAN | 12A | DPWA $\gamma N \rightarrow N\pi$ | |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 0.110 ± 0.045 | ANISOVICH | 12A | DPWA Multichannel | |
| 0.057 ± 0.003 | ¹ SHRESTHA | 12A | DPWA Multichannel | |
| 0.073 | DRECHSEL | 07 | DPWA $\gamma N \rightarrow \pi N$ | |
| 0.097 ± 0.003 | DUGGER | 07 | DPWA $\gamma N \rightarrow \pi N$ | |
| -0.053 | PENNER | 02D | DPWA Multichannel | |

¹ Statistical error only.

$N(1720) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

| VALUE ($\text{GeV}^{-1/2}$) | DOCUMENT ID | TECN | COMMENT | |
|-------------------------------|----------------------|------|---|--|
| -0.034±0.0076 | GOLOVATCH | 19 | DPWA $\gamma p \rightarrow \pi^+ \pi^- p$ | |
| 0.028±0.003 | ¹ HUNT | 19 | DPWA Multichannel | |
| 0.135±0.040 | SOKHOYAN | 15A | DPWA Multichannel | |
| 0.035±0.002 | ¹ SHKLYAR | 13 | DPWA Multichannel | |
| -0.048±0.002 | WORKMAN | 12A | DPWA $\gamma N \rightarrow N\pi$ | |

• • • We do not use the following data for averages, fits, limits, etc. • • •

| | | | | |
|--------------|-----------------------|-----|------|------------------------------|
| 0.150±0.030 | ANISOVICH | 12A | DPWA | Multichannel |
| -0.019±0.002 | ¹ SHRESTHA | 12A | DPWA | Multichannel |
| -0.011 | DRECHSEL | 07 | DPWA | $\gamma N \rightarrow \pi N$ |
| -0.039±0.003 | DUGGER | 07 | DPWA | $\gamma N \rightarrow \pi N$ |
| 0.027 | PENNER | 02D | DPWA | Multichannel |

¹ Statistical error only.

N(1720) → nγ, helicity-1/2 amplitude A_{1/2}

| VALUE (GeV ^{-1/2}) | DOCUMENT ID | TECN | COMMENT |
|---|-----------------------|------|-----------------------------------|
| -0.064±0.006 | ¹ HUNT | 19 | DPWA Multichannel |
| -0.080±0.050 | ANISOVICH | 13B | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| -0.002±0.001 | ¹ SHRESTHA | 12A | DPWA Multichannel |
| -0.003 | DRECHSEL | 07 | DPWA $\gamma N \rightarrow \pi N$ |
| -0.004 | PENNER | 02D | DPWA Multichannel |

¹ Statistical error only.

N(1720) → nγ, helicity-3/2 amplitude A_{3/2}

| VALUE (GeV ^{-1/2}) | DOCUMENT ID | TECN | COMMENT |
|---|-----------------------|------|-----------------------------------|
| -0.004±0.006 | ¹ HUNT | 19 | DPWA Multichannel |
| -0.140±0.065 | ANISOVICH | 13B | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| -0.001±0.002 | ¹ SHRESTHA | 12A | DPWA Multichannel |
| -0.031 | DRECHSEL | 07 | DPWA $\gamma N \rightarrow \pi N$ |
| 0.003 | PENNER | 02D | DPWA Multichannel |

¹ Statistical error only.

N(1720) REFERENCES

For early references, see Physics Letters **111B** 1 (1982).

| | | | | |
|-----------|-----|----------------|--------------------------------------|-------------------------|
| ROENCHEN | 22 | EPJ A58 229 | D. Roenchen <i>et al.</i> | (JULI, GWU, BONN+) |
| MOKEEV | 20 | PL B805 135457 | V.I. Mokeev <i>et al.</i> | (CLAS Collab.) |
| MUELLER | 20 | PL B803 135323 | J. Mueller <i>et al.</i> | (CBELSA/TAPS Collab.) |
| GOLOVATCH | 19 | PL B788 371 | E. Golovatch <i>et al.</i> | (CLAS Collab.) |
| HUNT | 19 | PR C99 055205 | B.C. Hunt, D.M. Manley | |
| DENISENKO | 16 | PL B755 97 | I. Denisenko <i>et al.</i> | |
| ROENCHEN | 15A | EPJ A51 70 | D. Roenchen <i>et al.</i> | |
| SOKHOYAN | 15A | EPJ A51 95 | V. Sokhoyan <i>et al.</i> | (CBELSA/TAPS Collab.) |
| PDG | 14 | CP C38 070001 | K. Olive <i>et al.</i> | (PDG Collab.) |
| SVARC | 14 | PR C89 045205 | A. Svarc <i>et al.</i> | (RBI Zagreb, UNI Tuzla) |
| ANISOVICH | 13B | EPJ A49 67 | A.V. Anisovich <i>et al.</i> | |
| SHKLYAR | 13 | PR C87 015201 | V. Shklyar, H. Lenske, U. Mosel | (GIES) |
| ANISOVICH | 12A | EPJ A48 15 | A.V. Anisovich <i>et al.</i> | (BONN, PNPI) |
| SHRESTHA | 12A | PR C86 055203 | M. Shrestha, D.M. Manley | (KSU) |
| WORKMAN | 12A | PR C86 015202 | R. Workman <i>et al.</i> | (GWU) |
| BATINIC | 10 | PR C82 038203 | M. Batinic <i>et al.</i> | (ZAGR) |
| THOMA | 08 | PL B659 87 | U. Thoma <i>et al.</i> | (CB-ELSA Collab.) |
| DRECHSEL | 07 | EPJ A34 69 | D. Drechsel, S.S. Kamalov, L. Tiator | (MAINZ, JINR) |
| DUGGER | 07 | PR C76 025211 | M. Dugger <i>et al.</i> | (JLab CLAS Collab.) |
| ARNDT | 06 | PR C74 045205 | R.A. Arndt <i>et al.</i> | (GWU) |

| | | | | |
|----------|-----|------------------------|--------------------------------------|----------------|
| SHKLYAR | 05 | PR C72 015210 | V. Shklyar, H. Lenske, U. Mosel | (GIES) |
| PENNER | 02C | PR C66 055211 | G. Penner, U. Mosel | (GIES) |
| PENNER | 02D | PR C66 055212 | G. Penner, U. Mosel | (GIES) |
| VRANA | 00 | PRPL 328 181 | T.P. Vrana, S.A. Dytman, T.-S.H. Lee | (PITT, ANL) |
| HOEHLER | 93 | πN Newsletter 9 1 | G. Hohler | (KARL) |
| CUTKOSKY | 80 | Toronto Conf. 19 | R.E. Cutkosky <i>et al.</i> | (CMU, LBL) IJP |
| Also | | PR D20 2839 | R.E. Cutkosky <i>et al.</i> | (CMU, LBL) IJP |
| HOEHLER | 79 | PDAT 12-1 | G. Hohler <i>et al.</i> | (KARLT) IJP |
| Also | | Toronto Conf. 3 | R. Koch | (KARLT) IJP |
