


$\chi_{c2}(3930)$

$I^G(J^{PC}) = 0^+(2^{++})$

$\chi_{c2}(3930)$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
3922.5±1.0 OUR AVERAGE				Error includes scale factor of 1.7. See the ideogram below.
3926.8±2.4±0.8	1.2k	¹ AAIJ	20AI LHCb	$B^+ \rightarrow D^+ D^- K^+$
3921.9±0.6±0.2		² AAIJ	19M LHCb	$p p \rightarrow D\bar{D} + \text{anything}$
3926.7±2.7±1.1	76 ± 17	AUBERT	10G BABR	$10.6 e^+ e^- \rightarrow e^+ e^- D\bar{D}$
3929 ± 5 ± 2	64	UEHARA	06 BELL	$10.6 e^+ e^- \rightarrow e^+ e^- D\bar{D}$



¹ Obtained from the full amplitude analysis. Parameterized with the relativistic Breit-Wigner line shape. Previous measurements assumed a single state in this region. This analysis revealed the presence of $\chi_{c0}(3930)$ with the same mass.

² Measured in prompt hadroproduction.

$\chi_{c2}(3930)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
35.2± 2.2 OUR AVERAGE				Error includes scale factor of 1.2.
34.2± 6.6±1.1	1.2k	¹ AAIJ	20AI LHCb	$B^+ \rightarrow D^+ D^- K^+$
36.6± 1.9±0.9		² AAIJ	19M LHCb	$p p \rightarrow D\bar{D} + \text{anything}$

$21.3 \pm 6.8 \pm 3.6$	76 ± 17	AUBERT	10G	BABR	$10.6 e^+ e^- \rightarrow e^+ e^- D\bar{D}$
$29 \pm 10 \pm 2$	64	UEHARA	06	BELL	$10.6 e^+ e^- \rightarrow e^+ e^- D\bar{D}$

¹ Obtained from the full amplitude analysis. Parameterized with the relativistic Breit-Wigner line shape. Previous measurements assumed a single state in this region. This analysis revealed the presence of $\chi_{c0}(3930)$ with the same mass.

² Measured in prompt hadroproduction.

$\chi_{c2}(3930)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
Γ_1	$\gamma\gamma$
Γ_2	$K\bar{K}\pi$
Γ_3	$K^+ K^- \pi^+ \pi^- \pi^0$
Γ_4	$D\bar{D}$
Γ_5	$D^+ D^-$
Γ_6	$D^0 \bar{D}^0$
Γ_7	$\pi^+ \pi^- \eta_c(1S)$
Γ_8	$K\bar{K}$

$\chi_{c2}(3930)$ PARTIAL WIDTHS

$$\text{--- } \chi_{c2}(3930) \Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total}) \text{ ---}$$

$\Gamma(K\bar{K}\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$	$\Gamma_2\Gamma_1/\Gamma$
VALUE (eV)	CL \%
<2.1	90
	<i>DOCUMENT ID</i>
	DEL-AMO-SA...11M
	<i>TECN</i>
	BABR
	<i>COMMENT</i>
	$\gamma\gamma \rightarrow K_S^0 K^\pm \pi^\mp$

$\Gamma(K^+ K^- \pi^+ \pi^- \pi^0) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$	$\Gamma_3\Gamma_1/\Gamma$
VALUE (eV)	CL \%
<3.4	90
	<i>DOCUMENT ID</i>
	DEL-AMO-SA...11M
	<i>TECN</i>
	BABR
	<i>COMMENT</i>
	$\gamma\gamma \rightarrow K^+ K^- \pi^+ \pi^- \pi^0$

$\Gamma(D\bar{D}) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$	$\Gamma_4\Gamma_1/\Gamma$
VALUE (keV)	EVTS
0.21 ± 0.04 OUR AVERAGE	
$0.24 \pm 0.05 \pm 0.04$	76 ± 17
$0.18 \pm 0.05 \pm 0.03$	64
	¹ UEHARA
	10G AUBERT
	06 BELL
	$10.6 e^+ e^- \rightarrow e^+ e^- D\bar{D}$
	$10.6 e^+ e^- \rightarrow e^+ e^- D\bar{D}$

¹ Assuming $B(D^+ D^-) = 0.89$ $B(D^0 \bar{D}^0)$.

$\Gamma(\pi^+ \pi^- \eta_c(1S)) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$	$\Gamma_7\Gamma_1/\Gamma$
VALUE (eV)	CL \%
<18	90
	<i>DOCUMENT ID</i>
	LEES
	<i>TECN</i>
	12AE BABR
	<i>COMMENT</i>
	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \eta_c$

$\Gamma(K\bar{K}) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$	$\Gamma_8\Gamma_1/\Gamma$
VALUE (eV)	CL \%
<0.256	90
	<i>DOCUMENT ID</i>
	UEHARA
	<i>TECN</i>
	13 BELL
	<i>COMMENT</i>
	$\gamma\gamma \rightarrow K_S^0 K_S^0$

$\chi_{c2}(3930)$ BRANCHING RATIOS

$\Gamma(D^+ D^-)/\Gamma(D^0 \bar{D}^0)$		Γ_5/Γ_6		
VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
0.74±0.43±0.16	64	UEHARA	06	BELL $10.6 \text{ e}^+ \text{e}^- \rightarrow \text{e}^+ \text{e}^- D \bar{D}$

$\chi_{c2}(3930)$ REFERENCES

AAIJ	20AI	PR D102 112003	R. Aaij <i>et al.</i>	(LHCb Collab.)
AAIJ	19M	JHEP 1907 035	R. Aaij <i>et al.</i>	(LHCb Collab.)
UEHARA	13	PTEP 2013 123C01	S. Uehara <i>et al.</i>	(BELLE Collab.)
LEES	12AE	PR D86 092005	J.P. Lees <i>et al.</i>	(BABAR Collab.)
DEL-AMO-SA...	11M	PR D84 012004	P. del Amo Sanchez <i>et al.</i>	(BABAR Collab.)
AUBERT	10G	PR D81 092003	B. Aubert <i>et al.</i>	(BABAR Collab.)
UEHARA	06	PRL 96 082003	S. Uehara <i>et al.</i>	(BELLE Collab.)