

$\eta_2(1870)$

$I^G(J^{PC}) = 0^+(2^-+)$

$\eta_2(1870)$ MASS

| VALUE (MeV) | EVTS | DOCUMENT ID | TECN | COMMENT |
|---|------|-------------|------|--|
| 1842 ± 8 OUR AVERAGE | | | | |
| 1835 ± 12 | | BARBERIS | 00B | $450 \text{ } pp \rightarrow p_f \eta \pi^+ \pi^- p_s$ |
| 1844 ± 13 | | BARBERIS | 00C | $450 \text{ } pp \rightarrow p_f 4\pi p_s$ |
| 1840 ± 25 | | BARBERIS | 97B | OMEG $450 \text{ } pp \rightarrow p p 2(\pi^+ \pi^-)$ |
| 1875 $\pm 20 \pm 35$ | | ADOMEIT | 96 | CBAR $1.94 \bar{p}p \rightarrow \eta 3\pi^0$ |
| $1881 \pm 32 \pm 40$ | 26 | KARCH | 92 | CBAL $e^+ e^- \rightarrow e^+ e^- \eta \pi^0 \pi^0$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 1860 $\pm 5 \pm 15$ | | ANISOVICH | 00E | SPEC $0.9\text{--}1.94 \bar{p}p \rightarrow \eta 3\pi^0$ |
| 1840 ± 15 | | BAI | 99 | BES $J/\psi \rightarrow \gamma \eta \pi^+ \pi^-$ |

$\eta_2(1870)$ WIDTH

| VALUE (MeV) | EVTS | DOCUMENT ID | TECN | COMMENT |
|---|----------------|-------------|------|--|
| 225 ± 14 OUR AVERAGE | | | | |
| 235 ± 22 | | BARBERIS | 00B | $450 \text{ } pp \rightarrow p_f \eta \pi^+ \pi^- p_s$ |
| 228 ± 23 | | BARBERIS | 00C | $450 \text{ } pp \rightarrow p_f 4\pi p_s$ |
| 200 ± 40 | | BARBERIS | 97B | OMEG $450 \text{ } pp \rightarrow p p 2(\pi^+ \pi^-)$ |
| 200 $\pm 25 \pm 45$ | | ADOMEIT | 96 | CBAR $1.94 \bar{p}p \rightarrow \eta 3\pi^0$ |
| $221 \pm 92 \pm 44$ | 26 | KARCH | 92 | CBAL $e^+ e^- \rightarrow e^+ e^- \eta \pi^0 \pi^0$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 250 ± 25 | $^{+50}_{-35}$ | ANISOVICH | 00E | SPEC $0.9\text{--}1.94 \bar{p}p \rightarrow \eta 3\pi^0$ |
| 170 ± 40 | | BAI | 99 | BES $J/\psi \rightarrow \gamma \eta \pi^+ \pi^-$ |

$\eta_2(1870)$ DECAY MODES

| Mode | Fraction (Γ_i/Γ) |
|--------------------------|--------------------------------|
| $\Gamma_1 \eta \pi \pi$ | seen |
| $\Gamma_2 a_2(1320)\pi$ | seen |
| $\Gamma_3 f_2(1270)\eta$ | seen |
| $\Gamma_4 a_0(980)\pi$ | seen |
| $\Gamma_5 \gamma \gamma$ | seen |

$\eta_2(1870)$ BRANCHING RATIOS

| $\Gamma(a_2(1320)\pi)/\Gamma(f_2(1270)\eta)$ | Γ_2/Γ_3 | | |
|--|------------------------|------|--|
| VALUE | DOCUMENT ID | TECN | COMMENT |
| 1.7 ± 0.4 OUR AVERAGE | | | |
| 1.60 ± 0.40 | ¹ ANISOVICH | 11 | SPEC $0.9\text{--}1.94 \bar{p}p$ |
| 20.4 ± 6.6 | BARBERIS | 00B | $450 \text{ } pp \rightarrow p_f \eta \pi^+ \pi^- p_s$ |
| 4.1 ± 2.3 | ADOMEIT | 96 | CBAR $1.94 \bar{p}p \rightarrow \eta 3\pi^0$ |

¹ Reanalysis of ADOMEIT 96 and ANISOVICH 00E.

$\Gamma(a_2(1320)\pi)/\Gamma(a_0(980)\pi)$ Γ_2/Γ_4 VALUE**32.6±12.6**DOCUMENT ID

BARBERIS

COMMENT00B 450 $p p \rightarrow p_f \eta \pi^+ \pi^- p_s$ $\Gamma(a_0(980)\pi)/\Gamma(f_2(1270)\eta)$ Γ_4/Γ_3 VALUE**0.48±0.45**DOCUMENT ID¹ ANISOVICHTECN

SPEC

COMMENT0.9–1.94 $p\bar{p}$ ¹ Reanalysis of ADOMEIT 96 and ANISOVICH 00E. $\Gamma(\gamma\gamma)/\Gamma_{\text{total}}$ Γ_5/Γ VALUE**seen**DOCUMENT ID

KARCH

TECN

CBAL

COMMENT $e^+ e^- \rightarrow e^+ e^- \eta \pi^0 \pi^0$ **$\eta_2(1870)$ REFERENCES**

| | | |
|-----------|-----|--------------|
| ANISOVICH | 11 | EPJ C71 1511 |
| ANISOVICH | 00E | PL B477 19 |
| BARBERIS | 00B | PL B471 435 |
| BARBERIS | 00C | PL B471 440 |
| BAI | 99 | PL B446 356 |
| BARBERIS | 97B | PL B413 217 |
| ADOMEIT | 96 | ZPHY C71 227 |
| KARCH | 92 | ZPHY C54 33 |

| |
|------------------------------|
| A.V. Anisovich <i>et al.</i> |
| A.V. Anisovich <i>et al.</i> |
| D. Barberis <i>et al.</i> |
| D. Barberis <i>et al.</i> |
| J.Z. Bai <i>et al.</i> |
| D. Barberis <i>et al.</i> |
| J. Adomeit <i>et al.</i> |
| K. Karch <i>et al.</i> |

| |
|--------------------------|
| (LOQM, RAL, PNPI) |
| (WA 102 Collab.) |
| (WA 102 Collab.) |
| (BES Collab.) |
| (WA 102 Collab.) |
| (Crystal Barrel Collab.) |
| (Crystal Ball Collab.) |