

$N(2060)$ $5/2^-$

$I(J^P) = \frac{1}{2}(\frac{5}{2}^-)$ Status: ***

Before our 2012 Review, this state appeared in our Listings as the $N(2200)$.

$N(2060)$ POLE POSITION

REAL PART

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	--------------------	-------------	----------------

2020 to 2130 (\approx 2070) OUR ESTIMATE

2030 \pm 15	SOKHOYAN	15A	DPWA Multichannel
2119 \pm 11 \pm 1	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
2100 \pm 60	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2010	HUNT	19	DPWA Multichannel
2040 \pm 15	ANISOVICH	12A	DPWA Multichannel
2144 \pm 31	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$

¹ Fit to the amplitudes of HOEHLER 79.

-2xIMAGINARY PART

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	--------------------	-------------	----------------

350 to 430 (\approx 400) OUR ESTIMATE

400 \pm 35	SOKHOYAN	15A	DPWA Multichannel
370 \pm 20 \pm 5	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
360 \pm 80	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
395	HUNT	19	DPWA Multichannel
390 \pm 25	ANISOVICH	12A	DPWA Multichannel
438 \pm 13	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$

¹ Fit to the amplitudes of HOEHLER 79.

$N(2060)$ ELASTIC POLE RESIDUE

MODULUS $|r|$

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	--------------------	-------------	----------------

15 to 30 (\approx 20) OUR ESTIMATE

25 \pm 8	SOKHOYAN	15A	DPWA Multichannel
19 \pm 1 \pm 1	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
20 \pm 10	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
19 \pm 5	ANISOVICH	12A	DPWA Multichannel
26	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$

¹ Fit to the amplitudes of HOEHLER 79.

PHASE θ

VALUE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
-130 to -90 (≈ -110) OUR ESTIMATE			
-130 \pm 20	SOKHOYAN	15A	DPWA Multichannel
- 94 \pm 5 \pm 1	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
- 90 \pm 50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-125 \pm 20	ANISOVICH	12A	DPWA Multichannel
- 71	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$
¹ Fit to the amplitudes of HOEHLER 79.			

N(2060) INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow N(2060) \rightarrow N\eta$

MODULUS	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
0.05 \pm 0.03	40 \pm 25	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2060) \rightarrow \Lambda K$

MODULUS	DOCUMENT ID	TECN	COMMENT
0.01 \pm 0.005	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2060) \rightarrow \Sigma K$

MODULUS	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
0.04 \pm 0.02	-70 \pm 30	ANISOVICH	12A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2060) \rightarrow \Delta(1232)\pi, D\text{-wave}$

MODULUS	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
0.06 \pm 0.03	-90 \pm 40	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2060) \rightarrow N\sigma$

MODULUS	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
0.12 \pm 0.06	80 \pm 40	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2060) \rightarrow N(1440)\pi$

MODULUS	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
0.17 \pm 0.09	-60 \pm 35	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow N(2060) \rightarrow N(1520)\pi, P\text{-wave}$

MODULUS	PHASE ($^{\circ}$)	DOCUMENT ID	TECN	COMMENT
0.14 \pm 0.06	-45 \pm 15	SOKHOYAN	15A	DPWA Multichannel

N(2060) BREIT-WIGNER MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
2030 to 2200 (≈ 2100) OUR ESTIMATE			
2111 \pm 17	¹ HUNT	19	DPWA Multichannel
2045 \pm 15	SOKHOYAN	15A	DPWA Multichannel
2180 \pm 80	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
2228 \pm 30	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

2060 ± 15	ANISOVICH	12A	DPWA	Multichannel
2116 ± 21	¹ SHRESTHA	12A	DPWA	Multichannel
2217 ± 27	BATINIC	10	DPWA	$\pi N \rightarrow N\pi, N\eta$

¹ Statistical error only.

N(2060) BREIT-WIGNER WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
300 to 450 (≈ 400) OUR ESTIMATE			
499 ± 70	¹ HUNT	19	DPWA Multichannel
420 ± 30	SOKHOYAN	15A	DPWA Multichannel
400 ± 100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
310 ± 50	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
375 ± 25	ANISOVICH	12A	DPWA Multichannel
307 ± 112	¹ SHRESTHA	12A	DPWA Multichannel
481 ± 17	BATINIC	10	DPWA $\pi N \rightarrow N\pi, N\eta$

¹ Statistical error only.

N(2060) DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 N\pi$	7–12 %
$\Gamma_2 N\eta$	2–38 %
$\Gamma_3 N\omega$	1–7 %
$\Gamma_4 \Lambda K$	10–20 %
$\Gamma_5 \Sigma K$	1–5 %
$\Gamma_6 N\pi\pi$	12–52 %
$\Gamma_7 \Delta(1232)\pi, D\text{-wave}$	4–10 %
$\Gamma_8 N\rho$	5–33 %
$\Gamma_9 N\rho, S=1/2, P\text{-wave}$	<10 %
$\Gamma_{10} N\rho, S=3/2, D\text{-wave}$	5–23 %
$\Gamma_{11} N\sigma$	3–9 %
$\Gamma_{12} N(1440)\pi$	4–14 %
$\Gamma_{13} N(1520)\pi, P\text{-wave}$	9–21 %
$\Gamma_{14} N(1680)\pi, S\text{-wave}$	8–22 %
$\Gamma_{15} \Lambda K^*(892)$	0.3–1.3 %
$\Gamma_{16} p\gamma$	0.03–0.19 %
$\Gamma_{17} p\gamma, \text{ helicity}=1/2$	0.02–0.08 %
$\Gamma_{18} p\gamma, \text{ helicity}=3/2$	0.01–0.10 %
$\Gamma_{19} n\gamma$	0.003–0.07 %
$\Gamma_{20} n\gamma, \text{ helicity}=1/2$	0.001–0.02 %
$\Gamma_{21} n\gamma, \text{ helicity}=3/2$	0.002–0.05 %

N(2060) BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$

VALUE (%)

7 to 12 (≈ 10) OUR ESTIMATE

	DOCUMENT ID	TECN	COMMENT
5.3 \pm 1.4	¹ HUNT 19	DPWA	Multichannel
11 \pm 2	SOKHOYAN 15A	DPWA	Multichannel
10 \pm 3	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$
7 \pm 2	HOEHLER 79	IPWA	$\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
8 \pm 2	ANISOVICH 12A	DPWA	Multichannel
9 \pm 2	¹ SHRESTHA 12A	DPWA	Multichannel
13 \pm 4	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$

¹ Statistical error only.

Γ_1/Γ

$\Gamma(N\eta)/\Gamma_{\text{total}}$

VALUE (%)

2-38 % OUR ESTIMATE

	DOCUMENT ID	TECN	COMMENT
6 \pm 2	MUELLER 20	DPWA	Multichannel
30 \pm 8	¹ HUNT 19	DPWA	Multichannel
4 \pm 2	ANISOVICH 12A	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
< 1	¹ SHRESTHA 12A	DPWA	Multichannel
0.2 \pm 1.0	BATINIC 10	DPWA	$\pi N \rightarrow N\pi, N\eta$

¹ Statistical error only.

Γ_2/Γ

$\Gamma(N\omega)/\Gamma_{\text{total}}$

VALUE (%)

4 \pm 3

Γ_3/Γ

DOCUMENT ID	TECN	COMMENT
DENISENKO 16	DPWA	Multichannel

$\Gamma(\Lambda K)/\Gamma_{\text{total}}$

VALUE (%)

10-20 % OUR ESTIMATE

15 \pm 5

¹ Statistical error only.

Γ_4/Γ

DOCUMENT ID	TECN	COMMENT
¹ HUNT 19	DPWA	Multichannel

$\Gamma(\Sigma K)/\Gamma_{\text{total}}$

VALUE (%)

3 \pm 2

Γ_5/Γ

DOCUMENT ID	TECN	COMMENT
ANISOVICH 12A	DPWA	Multichannel

$\Gamma(\Delta(1232)\pi, D\text{-wave})/\Gamma_{\text{total}}$

VALUE (%)

4-10 % OUR ESTIMATE

15 \pm 6

7 \pm 3

• • • We do not use the following data for averages, fits, limits, etc. • • •

40 \pm 13

¹ Statistical error only.

Γ_7/Γ

DOCUMENT ID	TECN	COMMENT
¹ HUNT 19	DPWA	Multichannel
SOKHOYAN 15A	DPWA	Multichannel

$\Gamma(N\rho, S=1/2, P\text{-wave})/\Gamma_{\text{total}}$	Γ_9/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
<10 % OUR ESTIMATE	
<10	¹ HUNT 19 DPWA Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •	
21±15	¹ SHRESTHA 12A DPWA Multichannel
¹ Statistical error only.	
$\Gamma(N\rho, S=3/2, D\text{-wave})/\Gamma_{\text{total}}$	Γ_{10}/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
5–23 % OUR ESTIMATE	
14±9	¹ HUNT 19 DPWA Multichannel
¹ Statistical error only.	
$\Gamma(N\sigma)/\Gamma_{\text{total}}$	Γ_{11}/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
6±3	SOKHOYAN 15A DPWA Multichannel
$\Gamma(N(1440)\pi)/\Gamma_{\text{total}}$	Γ_{12}/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
9±5	SOKHOYAN 15A DPWA Multichannel
$\Gamma(N(1520)\pi, P\text{-wave})/\Gamma_{\text{total}}$	Γ_{13}/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
15±6	SOKHOYAN 15A DPWA Multichannel
$\Gamma(N(1680)\pi, S\text{-wave})/\Gamma_{\text{total}}$	Γ_{14}/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
15±7	SOKHOYAN 15A DPWA Multichannel
$\Gamma(\Lambda K^*(892))/\Gamma_{\text{total}}$	Γ_{15}/Γ
<u>VALUE (%)</u>	<u>DOCUMENT ID</u> <u>TECN</u> <u>COMMENT</u>
0.3–1.3 % OUR ESTIMATE	
0.8±0.5	ANISOVICH 17B DPWA Multichannel

N(2060) PHOTON DECAY AMPLITUDES AT THE POLE

$N(2060) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$	$MODULUS (\text{GeV}^{-1/2})$	$PHASE (^{\circ})$	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
	0.064±0.010	12 ± 8	SOKHOYAN	15A	DPWA Multichannel
$N(2060) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$					
$N(2060) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$	$MODULUS (\text{GeV}^{-1/2})$	$PHASE (^{\circ})$	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
	0.060±0.020	13 ± 10	SOKHOYAN	15A	DPWA Multichannel

N(2060) BREIT-WIGNER PHOTON DECAY AMPLITUDES

$N(2060) \rightarrow p\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.019 ± 0.005	¹ HUNT 19	DPWA	Multichannel
0.062 ± 0.010	SOKHOYAN 15A	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.018 ± 0.004	¹ SHRESTHA 12A	DPWA	Multichannel

¹ Statistical error only.

$N(2060) \rightarrow p\gamma$, helicity-3/2 amplitude $A_{3/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.039 ± 0.005	¹ HUNT 19	DPWA	Multichannel
0.062 ± 0.020	SOKHOYAN 15A	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.010 ± 0.004	¹ SHRESTHA 12A	DPWA	Multichannel

¹ Statistical error only.

$N(2060) \rightarrow n\gamma$, helicity-1/2 amplitude $A_{1/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.069 ± 0.017	¹ HUNT 19	DPWA	Multichannel
0.025 ± 0.011	ANISOVICH 13B	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.012 ± 0.017	¹ SHRESTHA 12A	DPWA	Multichannel

¹ Statistical error only.

$N(2060) \rightarrow n\gamma$, helicity-3/2 amplitude $A_{3/2}$

VALUE (GeV $^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
-0.023 ± 0.020	¹ HUNT 19	DPWA	Multichannel
-0.037 ± 0.017	ANISOVICH 13B	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.023 ± 0.023	¹ SHRESTHA 12A	DPWA	Multichannel

¹ Statistical error only.

N(2060) REFERENCES

MUELLER	20	PL B803 135323	J. Mueller <i>et al.</i>	(CBELSA/TAPS Collab.)
HUNT	19	PR C99 055205	B.C. Hunt, D.M. Manley	
ANISOVICH	17B	PL B771 142	A.V. Anisovich <i>et al.</i>	
DENISENKO	16	PL B755 97	I. Denisenko <i>et al.</i>	
SOKHOYAN	15A	EPJ A51 95	V. Sokhyan <i>et al.</i>	(CBELSA/TAPS Collab.)
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich <i>et al.</i>	
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
BATINIC	10	PR C82 038203	M. Batinic <i>et al.</i>	(ZAGR)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL)
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP
