

$\Xi_b(5945)^0$ $J^P = \frac{3}{2}^+$

Status: ***

Quantum numbers are based on quark model expectations.

 $\Xi_b(5945)^0$ MASS

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
5952.3±0.6 OUR AVERAGE			
5952.3±0.1±0.6	¹ AAIJ	16AE LHCb	$p p$ at 7, 8 TeV
5951.4±0.8±0.6	² CHATRCHYAN 12S	CMS	$p p$ at 7 TeV, 5.3 fb ⁻¹

¹ AAIJ 16AE measures $m(\Xi_b(5945)^0) - m(\Xi_b^-) - m(\pi^+) = 15.727 \pm 0.068 \pm 0.023$ MeV.

We have adjusted the measurement to our best values of $m(\Xi_b^-) = 5797.0 \pm 0.6$ MeV, $m(\pi^+) = 139.57039 \pm 0.00018$ MeV. Our first error is their experiment's error and our second error is the systematic error from using our best values.

² CHATRCHYAN 12S measures $m(\Xi_b(5945)^0) - m(\Xi_b^-) - m(\pi^+) = 14.84 \pm 0.74 \pm 0.28$ MeV. We have adjusted the measurement to our best values of $m(\Xi_b^-) = 5797.0 \pm 0.6$ MeV, $m(\pi^+) = 139.57039 \pm 0.00018$ MeV. Our first error is their experiment's error and our second error is the systematic error from using our best values.

 $\Xi_b(5945)^0$ WIDTH

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
0.90±0.16±0.08			
³ AAIJ	16AE LHCb	$p p$ at 7, 8 TeV	
• • • We do not use the following data for averages, fits, limits, etc. • • •			
2.1 ± 1.7	⁴ CHATRCHYAN 12S	CMS	$p p$ at 7 TeV, 5.3 fb ⁻¹
³ Measured using $\Xi_b(5945)^0 \rightarrow \Xi_b^- \pi^+$, $\Xi_b^- \rightarrow \Xi_c^0 \pi^-$, $\Xi_c^0 \rightarrow p K^- K^- \pi^+$ decays.			
⁴ Systematic uncertainty not evaluated.			

 $\Xi_b(5945)^0$ DECAY MODES

Mode	Fraction (Γ_i/Γ)
$\Gamma_1 \quad \Xi_b^- \pi^+$	seen

 $\Xi_b(5945)^0$ BRANCHING RATIOS

$\Gamma(\Xi_b^- \pi^+)/\Gamma_{\text{total}}$	Γ_1/Γ
VALUE	
seen	^{AAIJ} 16AE ATLAS $p p$ at 7, 8 TeV
seen	^{CHATRCHYAN 12S} CMS $p p$ at 7 TeV, 5.3 fb ⁻¹

 $\Xi_b(5945)^0$ REFERENCES

AAIJ 16AE JHEP 1605 161
CHATRCHYAN 12S PRL 108 252002

R. Aaij *et al.*
S. Chatrchyan *et al.*

(LHCb Collab.)
(CMS Collab.)